EXPLORATION UPDATE

Highlights

- Preliminary gold assays received from the 6-hole drilling programme at Mt Adrah Gold Project
- Preliminary assays confirm potential for high-grade gold mineralisation outside of the Hobbs Pipe intrusion
- Aeromagnetics survey completed and modelling is underway for the Bolt Cutter Gold Project in the Pilbara, WA

Wildcat Resources Limited (ASX: WC8) ("Wildcat" or "Company") is pleased to announce an exploration update for its two gold projects, the Mt Adrah Gold Project in the Lachlan Fold of NSW and the Bolt Cutter Gold Project in application in the Mallina Province of WA.

Mt Adrah Gold Project - NSW

The Company completed Phase 1 and 2 of exploration earlier in the year which entailed mapping, soil sampling and remodelling of historical IP targets. The project is considered highly prospective and systematic exploration since the 1980's has been limited.

The maiden drill programme of 6 holes was designed to test a number of targets in close proximity to the Hobbs Pipe. The objective was to test near-surface up-dip extensions to a number of high-grade historic drill intercepts, as well as test three of the ten IP targets identified by the Company, and one historic surface geochemical anomaly. The results will give the geological team a better understanding of the system and what to focus on next.

The drill programme commenced in August 2020 where 6 diamond drill holes were completed for 1,881 metres. Samples were sent to the SGS Lab in West Wyalong for preliminary fire assay for initial screening of potential gold mineralisation. It is noted that anecdotal reports from previous project managers outlined the nuggety nature of gold in the some of the veins outside the Hobbs Pipe deposit, suggesting screen fire assays should be completed to obtain a more accurate determination of the sample gold grades.

The results for the preliminary fire assays have been received, with better results including:

- 11.35m 0.59 g/t Au from 43.4m (FRNDD013), and
- 4.15m @ 3.16 g/t Au from 137m (FRNDD013) including 0.85m at 9.7g/t1

The Company sent off 39 samples as a pilot programme to establish the sensitivity (if any) of the mineralisation to the screen fire assay method on 24 November 2020. As



ASX Code:

WC8

Director:
Director:
Director:

Director:

Matthew Banks Alex Hewlett Aidan Platel Tom Bahen

Secretary: Secretary: Zane Lewis James Bahen

REGISTERED OFFICESuite 6, 295 Rokeby Rd,
Subiaco, WA, 6008

Postal Address

Suite 6, 295 Rokeby Rd, Subiaco, WA, 6008

WEBSITE www.wildcatresources.com.au

> T: +61 (8) 6555 2950 F: +61 (8) 6166 0261

ACN: 098 236 938

Wildcat Resources Ltd

Wildcat Resources is a company focussed on discovery with strategic land holdings in three world class provinces. The Mt Adrah gold project in the Lachlan Fold (NSW), the Pilbara Gold project and the Fraser Range project both in WA.

> The company has secured a Tier One technical team to help advance these projects.

FOR ENQUIRIES
PLEASE CONTACT:
info@wildcatresources.com.au
T: +61 (8) 6555 2950

¹ Refer to Appendix 1 for full table of results

ASX Announcement 8 December 2020



the results detailed in this announcement are only partial results, the market will be updated once final assay results are received.

Mt Adrah Gold Exploration Drilling Results

Results are reported for the six (6) holes completed by Wildcat Resources. Drill-hole locations are presented in Table 1. Drill-hole intercepts are presented in Table 2.

Three holes, FRNDD014, FRNDD007 and FRNDD013 tested the White Deer target at 80 – 130m spacings along strike and between 130 – 200m below surface, which is approximately 300m up-dip from the historic drilling intersections. The recently drilled holes intersected quartz vein-style mineralisation associated with minor disseminated arsenopyrite and pyrite. Assay results from FRNDD013 are the most encouraging with the best mineralised intercepts being:

- 11.35m 0.59 g/t Au from 43.4m (FRNDD013), and
- 4.15m @ 3.16 g/t Au from 137m (FRNDD013) including 0.85m at 9.7g/t²

Hole FRNDD015 was drilled to test an IP target about 250m north of Hobbs Pipe where it coincided with a surface arsenic anomaly. The target was tested at a vertical depth of about 200m. Minor vein-related mineralisation was intersected.

FRNDD017 was drilled to test for mineralisation possibly adjacent to Hobbs Pipe deposit, but within the surrounding hornfelsic metasediments rather than the intrusive that hosts the deposit. The hole tested the area about 80m north of the deposit, and covers to about 130m below surface. Weak disseminated pyrite and arsenopyrite was intersected around the location of the modelled IP anomaly with very narrow, low-grade gold mineralisation. The best mineralised intercept was 2.25m @ 1.75 g/t Au from 224.5m³ in the zone of the interpreted IP anomaly.

FRNDD016 was drilled to test a geological target about 200m southeast of Hobbs Pipe, where monzodiorite, the same intrusive unit that host Hobbs Pipe, had been recorded in shallow drill-holes together with low-grade gold mineralisation. FRNDD016 intersected dolerites intruding and hornfelsing the metasediments rather than the monzodiorite shown on historic plans. Low-grade gold mineralisation was intersected predominantly hosted by the altered metasediments, and associated with veining and related alteration zones. The best mineralised intercept from FRNDD016 is 1.4m @ 1.19 g/t Au from 41.2m4associated with quartz veining.

² Refer to Appendix 1 for full table of results

³ Refer to Appendix 1 for full table of results

⁴ Refer to Appendix 1 for full table of results






Figure 1 - Plan view of maiden drill programme at Mt Adrah Gold Project - Lachlan Fold NSW

Bolt Cutter Project – Mallina Province – Pilbara WA

In October the Company completed the acquisition of high-resolution airborne magnetic data over E45/5613 (under application). A Cessna was flown across the tenement completing 2,075 line km at 100m spacings. Magnetic data for tenement E45/5623 was already available and subsequently acquired by the Company from a consulting firm. A leading industry geophysicist is currently processing and modelling the data in order to provide potential targets for follow-up exploration.

The Mallina Basin is a large and highly prospective gold province that remains largely under-explored. The exploration maturity of the Mallina Basin is lower than many other gold regions in WA, and recent exploration successes there may indicate that there is significant untested potential of the region.






Figure 2 - Bolt Cutter Project in the Mallina Province - Pilbara WA

The recent discovery of the Hemi gold deposit by De Grey Mining Ltd (ASX:DEG) has uncovered a major new gold system in the Mallina Gold Province. Previous exploration primarily focussed on targeting structurally controlled gold mineralisation, though Hemi demonstrates that the Towerana gold deposit is not the only intrusion-hosted system in the belt. Gold occurrences in the region are commonly sediment-or intrusion hosted and associated with anticlinal axes, particularly where they intersect major fault or shear structures. The highly prospective Berghaus Shear trends in a north-easterly direction and looks to have provided fluids for the formation of the Hemi Deposit. In addition to the Berghaus Shear, anticlinal axis trends in a parallel orientation with multiple splays off the Berghaus Shear intersecting the anticlinal axis provide areas of interest. Similar settings may be replicated in the Wildcat tenement package. Given the recent significant exploration success by De Grey, the region could be viewed as having the potential to become a World Class Province.

The Company continues to manage the grant process of applications E45/5623, E45/5613 and E45/5612 whilst at the same time preparing for its maiden exploration programmes as soon as the tenure is granted. It also advises that it was first in time lodging the applications and this right is not subject to a ballot. In accordance with section 29(4)a of the NTA the DMIRS advised the company that the "notification day" was on 2 October 2020 for E45/5612 & 5613 and 16 October for E45/5623.






Figure 3 – Wildcat project areas in the Lachlan Fold (NSW), Pilbara (WA) and the Fraser Range (WA)

- ENDS -

This announcement has been authorised by the Board of Directors of the Company.

FOR FURTHER INFORMATION, PLEASE CONTACT:

Mr. Matthew Banks **Executive Director**

Tel: +61 (8) 6555 2950

info@wildcatresources.com.au



ABOUT MT ADRAH – upcoming drilling in August 2020

Wildcat Resources Limited holds the Mount Adrah Gold Project ("**Mount Adrah**"), a highly prospective 200km² tenement package located within the well-endowed Lachlan Orogen region in NSW. The project includes the Hobbs Pipe gold deposit which has an existing JORC 2012 -compliant Mineral Resource estimate of 20.5Mt @ 1.1g/t Au for 770,000 oz of contained gold.

In addition to Hobbs Pipe, a number of high-grade gold reef systems have been identified by historic artisanal workings and limited exploration drilling, including down-hole intercepts such as 10m @ 17.7 g/t Au from 506m (GHD009) at the Castor Reef Prospect, about 200m north-east of Hobbs Pipe, and 1.2m @ 58.6 g/t Au from 624m (GHD011) at the White Deer Reef Prospect, a further 150m to the north-east of the GHD009 intercept. The drill-hole intervals are interpreted to align with the artisanal workings. However, surface geochemistry and drilling have not yet tested the near-surface potential of these targets.

A number of quartz vein reef-style targets were identified as targets of interest in a study by prior owners in 2016. Results on the follow-up work done on some of these targets have been promising to date. Outside of the immediate Hobbs Pipe area, the project has had little exploration activity since the 1990's, with several areas of surface gold anomalies yet to be followed up with drilling.

PILBARA GOLD PROVINCE

Wildcat Resources Limited has strategically applied for tenements within the Mallina Gold Province in the Pilbara, on the Berghaus Shear, and up-strike from the new discovery of "Hemi" by De Grey Mining (ASX: DEG) in February 2020.

Forward-Looking Statements

This document may include forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning Wildcat Resources Limited's planned exploration program and other statements that are not historical facts. When used in this document, the words such as "could," "plan," "estimate," "expect," "intend," "may", "potential," "should," and similar expressions are forward-looking statements. Although Wildcat Resources Limited believes that its expectations reflected in these forward-looking statements are reasonable, such statements involve risks and uncertainties and no assurance can be given that actual results will be consistent with these forward-looking statements.

Competent Person's Statement

The information in this report that relates to Exploration Results and Mineral Resources for the Mount Adrah Project is based on, and fairly represents, information compiled by Mr Damien Keys, a Competent Person who is a Member of the Australian Institute of Geoscientists (AIG). Mr Keys is currently a consultant to Wildcat Resources Limited, the vendor of the Mount Adrah Project. Mr Keys has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Keys consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.



ASX Listing Rule Information

Table 1 – JORC (2012) Mineral Resources Estimate for the Hobbs Pipe Gold Deposit

Resource Classification	Depth Below Surface	Oxidation Zone	COG Au (g/t)	Tonnes (Mt)	Grade (g/t Au)	Contained Gold (oz)
	0 – 150m	Oxides	0.4	0.6	0.9	18,000
Indicated	0 – 130111	Fresh	0.9	3.0	1.0	96,000
	150 – 700m	Fresh	0.9	8.5	1.2	320,000
TOTAL INDICATED RESOURCES				12.1	1.1	440,000
Inferred	0 – 150m	Fresh	0.5	0.2	0.6	39,000
interred	150 – 700m	Fresh	0.9	8.2	1.1	290,000
TOTAL INDICATED RESOURCES 8.4					1.1	330,000
TOTAL RESOURCE		20.5	1.1	770,000		

The Mineral Resource was first reported in an announcement by former Mount Adrah owners Sovereign Gold Company Ltd (ASX Announcement 27 December 2013) and was first reported by the Company on 23 August 2019. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the original market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the competent persons findings have not been materially modified from the original announcement.



Appendix 1

Table 1 Location of diamond drillholes

Drillhole	Collar Location (Easting)	Collar Location (Northing)	Total Depth (m)	Dip	Azi	Notes
FRNDD007	583705	6104736	309	-55	045	
FRNDD013	583530	6104730	369	-50	045	
FRNDD014	583705	6104731	311.8	-25	090	
FRNDD015	583576	6104815	404	-50	300	
FRNDD016	583634	6104416	251.8	-60	060	
FRNDD017	583573	6104813	235.9	-50	237	

Table 2 – Mineralised intercepts from the 2020 Wildcat Resources drilling programme. Results are reported above a 0.5 g/t Au cut off with not greater than 2m of internal waste.

Hole_ID	mFrom	mTo	Length	Au_ppm
FRNDD007	38.4	38.7	0.3	0.90
FRNDD007	115.5	117.8	2.3	0.50
FRNDD007	125.7	126	0.3	2.01
FRNDD007	133.75	134.5	0.75	0.76
FRNDD007	155.5	155.9	0.4	0.57
FRNDD007	157.35	159	1.65	0.52
FRNDD007	182.7	183.45	0.75	1.03
FRNDD007	208.6	208.9	0.3	0.89
FRNDD007	235.35	235.8	0.45	0.51
FRNDD007	256.9	259.7	2.8	0.95
FRNDD007	263.4	263.7	0.3	0.66
FRNDD007	266.75	267.1	0.35	0.64
FRNDD007	269.5	269.8	0.3	0.53
FRNDD007	275	275.4	0.4	0.82
FRNDD007	277.55	278.05	0.5	0.54
FRNDD007	296.75	297.6	0.85	0.57
FRNDD007	298.55	299.3	0.75	0.50
FRNDD013	26.6	27.4	0.8	1.14
FRNDD013	30.5	31.1	0.6	0.50
FRNDD013	33.3	34	0.7	2.50
FRNDD013	43.4	54.75	11.35	0.59
FRNDD013	58.35	62.1	3.75	1.34

ASX Announcement 8 December 2020



FRNDD013	76.95	79.95	3	1.01
FRNDD013	80.9	81.35	0.45	0.50
FRNDD013	89.4	91.1	1.7	1.31
FRNDD013	107.1	107.45	0.35	0.51
FRNDD013	117.85	121.2	3.35	0.69
FRNDD013	137	141.15	4.15	3.16
FRNDD013	166.6	167.3	0.7	1.31
FRNDD013	171.95	172.4	0.45	0.66
FRNDD013	182.2	182.55	0.35	1.72
FRNDD013	185.15	185.8	0.65	1.92
FRNDD013	241.5	241.8	0.3	0.93
FRNDD013	269.6	269.95	0.35	1.90
FRNDD013	306.5	306.95	0.45	0.53
FRNDD014	72.8	73.15	0.35	0.64
FRNDD014	134	134.35	0.35	0.58
FRNDD014	240.15	240.45	0.3	1.96
FRNDD014	254.55	255	0.45	0.89
FRNDD014	265.6	266	0.4	0.64
FRNDD014	296.2	296.5	0.3	1.66
FRNDD014	301.55	301.8	0.25	0.81
FRNDD014	302.4	303	0.6	0.67
FRNDD015	144	145	1	1.33
FRNDD015	148.35	148.75	0.4	1.52
FRNDD015	205.5	206	0.5	0.72
FDNDD01/	40	40.2	0.3	1.00
FRNDD016	40	40.3		1.28
FRNDD016	41.2	42.6	1.4	1.19
FRNDD016	61.3	61.8 79.5	0.5	0.54
FRNDD016	78.85 156.2		0.65	0.60
FRNDD016		156.5		0.50
FRNDD016	162.1	162.6	0.5	0.60
FRNDD016	172.5	173.2	0.7	0.76
FRNDD016	176.8	177.3	0.5	0.62
FRNDD016	208.4	209.1	0.7	0.75
FRNDD016	214.3	214.7	0.4	0.74
FRNDD017	30.25	33.9	3.65	0.60
FRNDD017	54.85	55.2	0.35	1.94
FRNDD017	70.3	70.65	0.35	0.97
FRNDD017	116.6	116.95	0.35	2.40

ASX Announcement 8 December 2020



FRNDD017	136.3	136.6	0.3	2.84
FRNDD017	143.65	144.65	1	0.57
FRNDD017	146.35	146.6	0.25	0.60
FRNDD017	148.45	150.4	1.95	1.36
FRNDD017	175.05	175.5	0.45	0.61
FRNDD017	191.3	192.1	0.8	0.99
FRNDD017	195.15	196.05	0.9	0.99
FRNDD017	198.95	199.8	0.85	1.12
FRNDD017	204.2	204.9	0.7	0.62
FRNDD017	224.5	226.75	2.25	1.75
GHD012	181.3	181.8	0.5	1.35
GHD012	205	205.5	0.5	0.64
GHD012	208.1	208.8	0.7	0.71
GHD013	269.44	270.1	0.66	2.69
GHD013	280.6	281	0.4	1.29

Appendix 2

Table 1 for reporting in accordance with JORC Code

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	Criteria	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialized industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and' the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	 2020 soil samples collected at B horizon, on grid spacings of 80x25m, 40x40m, 100x40m, 25x10m, 200x40m and 200x80m, offset where required for particular features. A minus 2mm fraction was collected on site. Average soil sample size collected was about 350g. 2020 soil samples were despatched to SGS Laboratories and the entire sample submitted were pulverised. Samples were analysed for gold by low level aqua regia digest of 25g and a multielement suite by ICP-MS method. Later assays (N10626 – N11824, 24 samples in the Hobbs Pipe area) were analysed by low level fire assay of a 30g charge with the multi-element suite determined by ICP-MS analysis following a 4 acid digest. Diamond core HQ3 or HQ2 with 1/2 core samples. Consistent cut distance 1 cm to the right of the orientation or markup line to reduce potential of bias, and to leave the orientation line in the tray. Fire Assay old. Gold is predominantly held in sulphides within disseminated sericite - sulphide alteration. Gold is occasionally visible in quartz veins. 1/2 core HQ3 was sent to ALS laboratories on a geological sample length basis with samples lengths between 0.3-1.0m and was pulverised to produce a 50g charge for fire assay, and 4 acid digestion for 48 element ICP-AES and ICP-MS analysis. Historic reverse circulation (RC) air track (percussion) drilling was undertaken. There are no records of sampling methods in the available reports. Assay was by fire assay and Aqua Regia.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	 Not applicable to 2020 soil sampling program Diamond core, oriented HQ3 Historic drilling includes RC, diamond and air track (RAB equivalent).
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	 Not applicable to 2020 soil sampling program Core was drilled by HQ triple tube (HQ3) or NQ2 There is no relationship between recovery and grade in diamond drill holes There is no record of sample recovery for the historic drill holes.

mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. Sub-sampling techniques and sample preparation If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sample were or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampled. Quality of assay data Quality of assay data The nature, quality and appropriateness of the assaying and laboratory assay data measurements. Core trays photographed All core is logged, all core logged to the same standard. Historic holes have been logged for lithology and weathering / oxidation. 2020 soil samples were sieved on site, with the -2mm fraction submitted for analysi No sub-sampling techniques applied 1/2 Core cut with a core saw. Sample preparation by accredited laboratory. High quality and appropriate by the prior owners given their understanding of grade homogeneity and observed mineralisation. Sample sizes are appropriate to the grain size of the material being sampled. Details of the historic RC sampling programmes are not available. The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.		7	
channel, etc) photography. The total length and percentage of the relevant intersections logged. If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether iffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampled. Quality of assay data and laboratory tests Quality of assay data and laboratory tests Por geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (ge standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. All core is logged, all core logged to the same standard. Historic holes have been logged for lithology and weathering / oxidation. All core is logged, all core logged to the same standard. Historic holes have been logged for lithology and weathering / oxidation. All core is logged, all core logged or lithologs and veathering / oxidation. All core is logged, all core logged or lithologs and weathering / oxidation. All core is logged, all core logged or lithologs and weathering / oxidation. All core is logged, all core logged or lithologs and weathering / oxidation. Cousing samples were sieved on site, with the -2mm fraction submitted for analysi No sub-sampling techniques applied All core is logged, all core logged to the same standard. Historic holes have been logged to the same standard. Cousing samples were sieved on site, with the -2mm fraction submitted for analysis in course in the can whether acceptable levels on the sample was preasant in tech	Logging	logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	Core has been logged for lithology and structural data, including recovery and RQD
The total length and percentage of the relevant intersections logged. The total length and percentage of the relevant intersections logged. If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. The nature, quality and appropriateness of the assaying and laboratory tests The nature, quality and appropriateness of the material being sampled. The nature, quality and appropriate to the grain size of the material being sampled. The nature, quality and appropriate to the grain size of the material being sampled. The nature, quality and appropriateness of the assaying and laboratory tests The nature, quality and appropriateness of the assaying and laboratory tests The nature, quality and appropriate to the grain size of the material being sampled. The nature, quality and appropriate to the grain size of the material being sampled. The nature, quality and appropriate to the grain size of the material being sampled. The nature, quality and appropriate to the grain size of the material being sampled. The nature of quality control procedures adopted for gold by aqua regial giests. Digest was not total for sample sampled and their derivation, etc. Nature of quality control procedures adopted for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2			Core trays photographed
Sub-sampling techniques and sample preparation • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory tests • Thistoric holes have been logged for lithology and weathering / oxidation. • If non-core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sample gampled and split or gamples were sieved on site, with the -2mm fraction submitted for analysis No sub-sampling techniques applied 1/2 Core cut with a core saw. • Sample preparation technique for assay methods in use. • Consistent sampling of core at 2m intervals, this was considered appropriate by the prior owners given their understanding of grade homogeneity and observed mineralisation. • Sample sizes are appropriate to the grain size of the material being sampled. • Details of the historic RC sampling programmes are not available. • Details of the historic RC sampling programmes are not available. • Details of the historic RC sampling programmes are not available. • 2020 soil samples (samples N10001 – N10625) were analysed for gold by aqua reg digest of a 25g subsample to a detection limit of 1ppb. A multi-element but is still considered as appropriate for exploration purposes. Later samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS anal			All core is logged, all core logged to the same standard.
techniques and sample preparation If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampleng. Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory tests Quality of assay data and laboratory tests Oquality of assay data and laboratory tests Ature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. If non-core, whether riffled, tube sampled, rotary split, etc and whether sample sampled. Sample preparation by accredited laboratory. High quality and appropriate preparation technique for assay methods in use. Consistent sampling of core at 2m intervals, this was considered appropriate by the prior owners given their understanding of grade homogeneity and observed mineralisation. Sample preparation technique for assay methods in use. Consistent sampling of core at 2m intervals, this was considered appropriate by the prior owners given their understanding of grade homogeneity and observed mineralisation. Sample sizes are appropriate to the grain size of the material being sampled. Details of the historic RC sampling programmes are not available. Details of the historic RC samples N10001 – N10625) were analysed for gold by aqua regigest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite digest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite appropriate for exploration purposes. Later samples, (N10626 – N11824) were analysed for gold by fire		The total length and percentage of the relevant intersections logged.	Historic holes have been logged for lithology and weathering / oxidation.
sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory tests Quality of assay data and laboratory of assay data and laboratory tests Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a frequency of two per 100 samples.	techniques	·	
 For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality of assay data and laboratory tests The nature, quality and appropriate to the grain size of the material or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Consistent sampling of core at 2m intervals, this was considered appropriate by the prior owners given their understanding of grade homogeneity and observed mineralisation. Sample sizes are appropriate to the grain size of the material being sampled. Details of the historic RC sampling programmes are not available. Details of the historic RC samples (samples N10001 – N10625) were analysed for gold by aqua required digest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite as appropriate to the grain size of the material being sampled. Details of the historic RC sampling programmes are not available. 2020 soil samples (samples N10001 – N10625) were analysed for gold by aqua required digest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite as appropriate for exploration purposes. Later samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a 			1/2 Core cut with a core saw.
representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampled. Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory tests The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. Provided the in-situ material collected, including is representative of the in-situ material collected, including is representative of the in-situ material collected, including of strance results for field duplicate/second-half samples (samples N10001 – N10625) were analysed for gold by aqua requiges of a 25g subsample to a detection limit of 1ppb. A multi-element sasay suite 28 elements was measured from the aqua regia digest. Digest was not total for some elements but is still considered as appropriate for exploration purposes. Later samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a	proparation		
 Measures taken to ensure that the sampling is representative of the initial material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory tests For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. Sample sizes are appropriate to the grain size of the material being sampled. Details of the historic RC sampling programmes are not available. 2020 soil samples (samples N10001 – N10625) were analysed for gold by aqua reg digest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite 28 elements was measured from the aqua regia digest. Digest was not total for som elements but is still considered as appropriate for exploration purposes. Later samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-lelement suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a 		representivity of samples.	prior owners given their understanding of grade homogeneity and observed
 Sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory tests For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. Details of the historic RC sampling programmes are not available. 2020 soil samples (samples N10001 – N10625) were analysed for gold by aqua rec digest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite 28 elements was measured from the aqua regia digest. Digest was not total for som elements but is still considered as appropriate for exploration purposes. Later samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a 			
 Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. Whether sample sizes are appropriate to the grain size of the material being samples (samples (samples N10001 – N10625) were analysed for gold by aqua regise digest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite 28 elements was measured from the aqua regia digest. Digest was not total for som elements but is still considered as appropriate for exploration purposes. Later samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a 		· ·	
assay data and laboratory tests procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. digest of a 25g subsample to a detection limit of 1ppb. A multi-element assay suite 28 elements was measured from the aqua regia digest. Digest was not total for som elements but is still considered as appropriate for exploration purposes. Later samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a		Whether sample sizes are appropriate to the grain size of the material being	Details of the historic RC sampling programmes are not available.
 collected sampling at a frequency of two per 100 samples. No major issues were encountered with the quality control sampling. For diamond core fire assay for gold and ICP-AES and ICP-MS for multi-element analysis. Techniques considered total for the type of mineralization sampled. 	assay data and laboratory	 procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of 	 samples (N10626 – N11824) were analysed for gold by fire assay of a 25g charge and the multi-element suite determination was by mixed acid digest and ICP-MS analysis. Appropriate standards were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Blanks were inserted with the 2020 soil sampling at a frequency of two per 100 samples. Duplicate samples from the same site were collected sampling at a frequency of two per 100 samples. No major issues were encountered with the quality control sampling. For diamond core fire assay for gold and ICP-AES and ICP-MS for multi-element analysis. Techniques considered total for the type of mineralization sampled. Blanks have been used during sampling at a rate not greater than 1 per 50 samples. Standards have been used at a rate not less than 1 per 20 samples Historic holes were assayed by a combination of Aqua Regia, Fire Assay and unspecified AAS.
	Verification of	The verification of significant intersections by either independent or alternative	Analytical results for the 2020 soil sampling were received by multiple personnel and
sampling and company personnel. compiled into a central database.			compiled into a central database.
assaying • The use of twinned holes. • No adjustments were made to any 2020 soil sampling assay data	assayıng	The use of twinned holes.	No adjustments were made to any 2020 soil sampling assay data

	Documentation of primary data, data entry procedures, data verification, data	No twinned holes have been drilled. Historic RC drill data supports the grade ranges
	storage (physical and electronic) protocols.	from new diamond drill holes.
	Discuss any adjustment to assay data.	 Review of the grade distribution between the diamond and the historic RC holes indicates that it is possible the RC holes are bias low compared to the diamond drill holes. This is in the process of being reviewed.
		 There are no samples of the historic drill holes of sufficient size for re assay submission. Some sample remnants are in some chip trays at the Londonderry Core library.
		 At this time there are no processes or procedures guiding data collection, collation, verification and storage. Implementation and development of procedures and documentation are currently being planned.
		There are no adjustments to the assay data.
Location of	Accuracy and quality of surveys used to locate drill holes (collar and down-	Location of sample sites of 2020 soil sampling program recorded by hand-held GPS
data points	hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	Collar coordinates by the prior owner were sited using handheld Garmin GPSMAP® 62sc.
	Specification of the grid system used.	Digital survey tool used for down hole surveying.
	Quality and adequacy of topographic control.	DGPS Collar location and RL data will be undertaken going forward.
		 All recently drilled holes will where possible be re surveyed using DGPS at the completion of the next drilling programme.
		All current data is in MGA94 (Zone 55).
		Historic data has been converted to in MGA94 (Zone 55).
		 Historic data collar co-ordinates were listed as confirmed to have been in the correct position/ within 1m in MGA94 (Zone 55). A new project database compiled to current quality standards is being assembled.
		 Digital topographic data is available from a detailed DTM survey undertaken in 1997. The accuracy of the data at a project scale is yet to be assessed but is assumed to be reasonable.
Data spacing and	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree 	2020 soil sampling in the Hobbs Pipe area was at 80x25m, 40x40m, 100x40m, and 25x10m
distribution	of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied.	There is sufficient data and it is sufficiently closely spaced to establish a reasonable geological interpretation in the area of interest. The data available also provided continuity of mineralization and a local scale.
	whether sample compositing has been applied.	 Current drill spacing of 200m x 200m down to 20m x 20m allows for the reporting of a Mineral Resource.
		Samples have been taken where geologically suitable in zones of alteration.
Orientation of data in	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	 Drilling by Wildcat Resources employed core orientation device for all holes. Significant orientated structural data on geological and structure features have been
relation to geological structure	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	collected.

		Drill targets are interpreted to occur in multiple orientations. The drilling area has significant topographic relief. Drillholes have been designed to intersect targets as close to orthogonal as possible within the constraints of the topography.
Sample security	The measures taken to ensure sample security.	 2020 soil samples were stored on site at a field base and delivered directly to the SGS West Wyalong laboratory. Current core samples were securely stored at a private facility.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audit has been completed on the 2020 drilling campaign.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commenta	ary						
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	area is • Tenure EL637	2, EL8606 and E s on EL6372. 202 e is current and i 2 and EL8606. T e in the area.	20 soil samplii n good standi	ng was ng. Rer	done on area newal applicat	s within all tions have	3 ELs. been lodg	ed for
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	 The 2020 soil sampling in the Hobbs Pipe area adjoins areas previously sampled and explored as listed in the point below. One small area of 25x10m sampling was done to confirm a location of previously outlined geochemical anomalism. Rock chip sampling workings within the footprint of one area had been done by prior explorers, and utilisation of the data from a previous IP survey by Sovereign Gold Company Ltd and magnetic data from Michelago in particular. The resource estimate and exploration results reported here were generated by the previous owner of the project, Sovereign Gold Company Ltd. Historic work undertake by Sovereign Gold, Getty Oil, Cyprus Australia, Michelago, North Limited and Golden Cross Resources have contributed to the current project development. Soil sampling, airborne magnetics, rotary air blast (RAB), Airtrack, RC, diamond drilling, and some resource estimation work has been completed previously. Work was undertaken to a high standard, though different groups had different conceptual targets and target thresholds and ability to fund exploration to test them. 					s done to campling of ad Ltd and by the dertaken Golden ampling, d some ken to a		
Geology	Deposit type, geological setting and style of mineralisation.	Hobbs Pipe has previously been interpreted to represent a mesozonal to epizonal Intrusion-Related Gold System (IRGS) located along the Gilmore Suture on the edge of a buried pluton. Geological studies have commenced to refine and check this interpretation. Orogenic lode-style mineralisation (narrow-vein gold "reefs") has been encountered proximal to Hobbs Pipe and is known elsewhere in the region.				ne edge of			
Drill hole information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: A summary of all information material to the understanding of the exploration and partial partial and partial partia	All drillholes have been previously reported. The exploration results included in this announcement refer to drill-holes that targeted the high-grade gold vein mineralization external to the Hobbs Pipe deposit, and are as follows:							
	 easting and northing of the drill hole collar elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar 	Hole ID	Northing (m)	Easting (m)	RL (m)	Grid	Collar Azimuth	Collar Dip	Total Depth (m)
	dip and azimuth of the holedown hole length and interception depth	GHD001	6104591	583496	399	MGA94 Z55	0	-90	1029.60
	- hole length.	GHD006	6104591	583502	400	MGA94 Z55	311	-83	855.90
	If the exclusion of this information is justified on the basis that the	GHD007	6104594	583479	399	MGA94 Z55	50	-75	924.10
	information is not Material and this exclusion does not detract from the	GHD008	6104590	583492	398	MGA94 Z55	267	-83	699.60

Criteria	JORC Code explanation	Comme	ntary						
	understanding of the report, the Competent Person should clearly explain why this is the case.	GHD00	9 6104587	583444	387	MGA94 Z55	29	-60	1312.60
	any and is the sass.	GHD01	0 6104593	583448	387	MGA94 Z55	120	-55	740.30
		GHD01	1 6104592	583445	387	MGA94 Z55	41	-55	969.60
Data aggregation methods	 In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	well style The inter	reported intersect defined. Intercept es, are known. intercept reported rcept reported for 4g/t) between sign e used	s are reported I for GHD011 i GHD009 conta	as leng s over o ains 6m	gth-weighted a one sample into of lower-grade	verages, erval with	and propo	sed mining gation. The
Relationship between mineralization widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	grad • The	orientation of min de reef mineralizat geometry is not c st in determining t	ion is not yet k urrently known	nown.				ŭ
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	 See "New Gold Discovery at Mount Adrah – 10m @ 17.7g/t Au at Castor Prospect" reported by Sovereign Gold Company Ltd (ASX:SOC) to the ASX on 28th October 2013, "Bonanza hit of 1.2m @ 58.6 g/t Au confirms multiple high-grade structures at Mount Adrah" reported by Sovereign Gold Company Ltd (ASX:SOC) to the ASX on November 2013 and "Mineral Resources for the Mount Adrah Gold Project" reported Sovereign Gold Company Ltd (ASX:SOC) to the ASX on 27th December 2013. A plan view is set out in the body of this announcement. A tabulation of intercepts is set out in Annexure 1 of the announcement. 				tober ures at SX on 21st eported by			
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	• Furt	her work (detailed ng) is required to o ting results are co	l re-logging, ad clearly establis	Iditiona sh whicl	I mapping and	sampling	and addit	
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	disti con:	intercept reported nct geological con sidered encouragin checked against de	ntact. The style	of alte	ration and loca	tion at a	defined po	sition are

Criteria	JORC Code explanation	Commentary
Further work	 The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the 	Drill testing of some 2020 soil sampling anomalism outlined is in progress. Further analysis of the data and field checking of some other anomalous areas will be done. Additional infill and extension soil sampling is also likely to be done.
	main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	 Complete geological mapping and core logging study to update project target framework.
		 Complete building of comprehensive exploration database for project to confirm current targets and assess them. Geochemical follow-up of priority targets external to current resources is the current priority.
		Drill testing of priority targets at considered appropriate and in accordance with company objectives.