

ASX ANNOUNCEMENT 06/11/2023

WILDCAT HITS 180m @ 1.1% Li₂O at LEIA

Highlights

- New assay results from the Leia Pegmatite in the Central Cluster include:
 - o 180m @ 1.1% Li₂O from 206m (TARC148) (est. true. width)
 - including 21m at 1.4% Li₂O from 209m
 - and 65m at 1.2% Li₂O from 234m
 - and 55m at 1.4% Li₂O from 322m
 - o 70m at 1.0% Li₂O from 183m (TARC145) (est. true width)
 - including 47m at 1.5% Li₂O from 183m
 - 98m at 0.8% Li₂O from 226m (TARC147) (est. true width)
 - including 11m at 1.5% Li₂O from 232m
 - including 39m at 1.4% Li₂O from 271m
 - 40m at 1.2% Li₂O from 135m (TARC137) (est. true width)
- Leia Pegmatite is now over 1.65km long, up to 180m wide, it has been intersected to more than 350m vertical depth, and remains open laterally and at depth
- Results pending for 34 holes from Leia with Wildcat completing ~8 holes per week

Australian lithium developer Wildcat Resources Limited (ASX: WC8) ("Wildcat" or the "Company") is pleased to announce more exceptional results from its **Tabba Tabba Lithium Project** ("Tabba Tabba", "the Project"), near Port Hedland, in the Pilbara, WA (see Appendix 1, Tables 1–3, and Figures 1-7).

Latest assay results from the Leia Pegmatite, including **180m @ 1.1% Li₂O from 206m in TARC148**, confirm that Wildcat is uncovering a Tier-1 lithium deposit at Tabba Tabba.

Wildcat Managing Director Samuel Ekins said: "The thick and high-grade assay results consistently being returned from Leia convince us that Tabba Tabba is host to a very significant lithium deposit. The Project's setting on Mining Leases and its proximity to infrastructure in the centre of the most prolific hard rock lithium district in the world, truly cements it among the best lithium development opportunities today."

Tabba Tabba is near some of the world's largest hard-rock lithium mines, it's 47km from Pilbara Minerals' (ASX: PLS) **414Mt Pilgangoora Project**, 87km from Mineral Resources' (ASX: MIN) **259Mt Wodgina Project** and is only 80km by road to **Port Hedland**. The exciting **Leia Pegmatite is one of six significant pegmatite prospects within the 3.2km long field**. All the pegmatite prospects at Tabba Tabba remain open and the Company is continuing with an aggressive exploration campaign.

Discussion of Exploration Activities

The Company has now completed 137 RC drill holes, three diamond tails and three diamond drill holes for 29,613m since drilling commenced at Tabba Tabba in July 2023. A second diamond drill rig was mobilised to site last week to replace one of the RC rigs to allow deeper testing of Leia orebody. The two diamond rigs are now double-shifting with the focus on drilling the discovery at depth, resource expansion and metallurgical sampling. An RC rig is continuing to drill pre-collars and to explore the broader potential of the pegmatite systems at Tabba Tabba.




Figure 1 – The Leia pegmatite, in the Central Cluster at Tabba Tabba, is more than 1.65km long, up to 180m wide, has been drilled to 550m down-dip, and is open laterally and at depth (and widening).

Leia Pegmatite and the Central Cluster

The Company has completed 73 drill holes into the Leia Pegmatite to date and results for 34 holes are pending. Since the last announcement¹, drilling has extended Leia a further 140m to the north where it remains open and is now defined (by drilling) more than 1.65km in strike length. It has also been extended a further 150m down-dip and has been intersected to more than 500m down-dip (see Figures 1 to 5).

A cross section (Cross Section 1) through the northern part of the Leia orebody is presented as Figure 3 (located on Figure 1). Two drill holes on this section returned **85m at 1.5% Li₂O** from 133m (TARC128) and **85m at 1.3% Li₂O** from 167m (TARC144) (as reported on 27 October 2023). Recent assays from follow-up drill hole (TARC148) on the section returned **180m at 1.1% Li₂O** from 206m (TARC148). Assays are pending for two deeper diamond holes where Wildcat has logged **166.4m of mineralised pegmatite in TARC161AD** (announced on 27 October 2023) and a further **83m of pegmatite was recorded in TADD008**, **150m down dip of TARD161AD**. The pegmatite mineralisation in TADD008 is the deepest intercept to date and the core samples appear to contain abundant spodumene (based on observations under ultraviolet light as shown in Figure 2).




Figure 2: Core from TADD008 under natural and fluorescent light indicating abundant spodumene comprising up to 50% of the core, which typically fluoresces bright salmon orange under UV light. Note that assays for this hole are pending.

Figure 4 is a cross section (Cross Section 2) located 80m to the north of Cross Section 1 (refer to Figure 3). The thick, high-grade mineralisation continues towards the north and at depth with intersections of **71m at 1.0% Li₂O** from 183m (70m est. true width), including **47m at 1.5% Li₂O** from 183m (TARC145); and **98m at 0.8% Li₂O** from 226m (TARC147) (est. true width) including **11m at 1.5% Li₂O** from 232m and **39m at 1.4% Li₂O** from 271m.

In the hanging wall of Leia, the Chewy Pegmatite continues to return consistent assay results near surface including 14m at 1.4% Li₂O from 64m (TARC147); 14m at 1.3% Li₂O from 17m and 10m at 1.4% Li₂O from 54m (TARC145) as highlighted on Figure 4.

¹ ASX announcement 23rd October 2023: https://www.investi.com.au/api/announcements/wc8/91bc041e-bc7.pdf




Figure 3: Cross Section 1 through Leia showing the 180m intersection in TARC148 in relation to the previously announced TARC128 and TARC144. Assays are pending for diamond holes TARC161AD and TADD008, however based on observations under UV light, these appear to contain abundant spodumene.




Figure 4: Cross Section 2 through Leia showing further thick intercepts of mineralised pegmatite in TARC147 and TARC145. The section is located 80m north of Cross Section 1.

Tier-1 Potential

The Company believes it is at an early stage of a globally significant lithium discovery at Tabba Tabba. The key indications of this are:

- 1. The scale of Leia, with the consistent, tabular pegmatite body already confirmed over 1.65km in length, more than 550m down-dip and up to 180m in width. It is open in all directions and expected to have significant down-dip continuity.
- 2. Mineralogy confirmed via FTIR² to be coarse, spodumene dominant, and the spodumene is white to clear suggesting it is likely to be low in iron.
- 3. The size of the Tabba Tabba pegmatite system is very large, with more than 50 lithium pegmatites outcrops over a wide area along 3.2km strike length.
- 4. The Project is located on Mining Leases, parts of which were fully permitted for mining (of the high-grade Tabba Tabba Tantalum Deposit) as recently as 2015.

² ASX announcement 23rd October 2023: https://www.investi.com.au/api/announcements/wc8/91bc041e-bc7.pdf

5. Tabba Tabba is one of the best located hard rock lithium projects, with direct road access 80km to a major town and port, and within 100km of two processing facilities.

The Leia Pegmatite, and the Chewy Pegmatite in its hanging wall, continues to be the focus of Wildcat's exploration activities at Tabba Tabba. **Pegmatite-hosted lithium mineralisation has now been defined to 350m vertical depth at Leia and the deposit remains open.** Diamond drilling will continue to test the extent of the thickest parts of the deposit to help with planning for resource evaluation and preliminary mine planning. The Company notes that Pilbara Minerals has reported plans to expand its Pilgangoora³ open pit to depths of more than 440m below surface.

Leia outcrops at surface for 1km and then plunges at ~20° to the north at the contact between a sedimentary unit and a gabbroic mafic unit. It is a consistent, thick, tabular body which appears to have potential for significant continuity at depth due to the thickness of the intercepts at depth to date. The long section on Figure 5 shows the exceptional thickness of combined pegmatite intercepts through the Leia and Chewy Pegmatites.




Figure 5: Long section through the Central Pegmatite Cluster illustrating combined pegmatite thickness per hole. Note the strike extent, thickness and apparent thickening with depth and as it plunges north. Section location shown on Figure 1. The Company cautions that existence of pegmatite does not confirm lithium mineralisation and is not a proxy for laboratory assay. See sections and Appendix 1.

Mineralogy

As discussed in the announcement on 23 October 20234, initial mineralogical results from a test of the Fourier-Transform Infra-Red (FTIR) method on RC drill hole TARC131 (52m at 1.3% Li₂O from 117m) from the Leia Pegmatite has confirmed that the only lithium mineral in that hole is spodumene and other lithium minerals were below detection. Further examples of spodumene dominant mineralisation in the recently completed TADD008 diamond drill hole, 150m down dip of TARC161AD, from which photos of spodumene were previously reported, are shown on Figure 2. The Company continues to observe abundant salmon orange fluorescence (under ultraviolet light) in pegmatite intervals in both RC chips and diamond core.

³ Pilbara Minerals Ltd ASX announcement 25th August 2023: https://lpls.irmau.com/site/pdf/76d36866-131d-47ff-a5e5-11714da90926/Ore-Reserves-Update.pdf

⁴ ASX announcement 23rd October 2023: https://www.investi.com.au/api/announcements/wc8/91bc041e-bc7.pdf

Next Steps

- Maintain aggressive drilling of the Central Cluster, focusing on high-grade and thick lithium mineralisation at Leia, Chewy and Boba;
- Drill the multiple untested surface pegmatite outcrops to explore for further discoveries;
- Compile representative core samples for metallurgical test work; and
- Progress early-stage studies on Tabba Tabba mining leases.

- ENDS -

This announcement has been authorised by the Board of Directors of the Company.

FOR FURTHER INFORMATION, PLEASE CONTACT:

Mr. Samuel Ekins

Managing Director

Tel: +61 (8) 6555 2950

info@wildcatresources.com.au

Mr. Matthew Banks **Executive Director**Tel: +61 (8) 6555 2950

info@wildcatresources.com.au

Nathan Ryan

NWR Communications

Tel: +61 420 582 887

nathan.ryan@

nwrcommunications.com.au

About Tabba Tabba

The Tabba Tabba Lithium-Tantalum Project is an advanced lithium and tantalum exploration project that is located on granted Mining Leases just 80km by road from Port Hedland, Western Australia. It is nearby some of the world's largest hard-rock lithium mines (47km by road from the 414Mt Pilgangoora Project⁵ and 87km by road to the 259Mt Wodgina Project⁶) (Figure 6).

The Tabba Tabba project was one of four significant LCT pegmatite projects in WA, previously owned by Sons of Gwalia. The others were Greenbushes, Pilgangoora and Wodgina which are now Tier-1 hard-rock lithium mines. Tabba Tabba is the last of these assets to be explored for lithium mineralisation.




Figure 6: Location of the Tabba Tabba Project

https://1pls.irmau.com/site/pdf/3c3567af-c373-4c3c-ba7a-af0bc2034431/Substantial-Increase-in-Mineral-Resource.pdf

⁵ Pilbara Minerals Ltd ASX announcement 7 August 2023:

⁶ Mineral Resources Ltd ASX announcement 23 October 2018:

http://clients3.weblink.com.au/pdf/MIN/02037855.pdf

Wildcat announced that it had entered an exclusive, binding agreement to acquire 100% of the Tabba Tabba Lithium-Tantalum Project on the 17th of May, 2023⁷. On the 5th October, 2023 the Company provided an update on the progress of the acquisition⁸ and on 12th October, 2023 Wildcat announced it has successfully completed the acquisition of the Project.




Figure 7: The Tabba Tabba Pegmatite Field comprises six prospects, the largest, so far, is Leia

⁷ ASX announcement 17th May 2023: https://www.investi.com.au/api/announcements/wc8/4788276b-630.pdf

⁸ ASX announcement 5th October 2023: https://www.investi.com.au/api/announcements/wc8/79100ff0-b08.pdf

Thirty-eight (38) outcropping pegmatite bodies have been mapped within the Mining Leases at Tabba Tabba, however only the pegmatite body hosting the Tabba Tabba Tantalum deposit had been extensively drilled and most of the samples were not assayed for lithium. The lack of drilling offered significant upside for Wildcat for lithium exploration (Figure 7)

The pegmatite body that contains the high-grade Tabba Tabba tantalum deposit has a Mineral Resource estimate of 318Kt at 950ppm Ta_2O_5 for 666,200lbs Ta_2O_5 at a 400ppm Ta_2O_5 lower cut-off grade³. The resource drilling on the Tabba Tabba pegmatite was limited to only 35m depth, and the tantalum mineralisation is open in most directions.

Only four drill holes were completed outside of the Tabba Tabba tantalum deposit, these were drilled in 2013 and three intersected pegmatite that returned **8m at 1.42% Li₂O from 4m (TDRC02)**, **16m at 0.9% Li₂O from 10m (TDRC03) and 1m at 2.00% Li₂O from 40m to EOH (TDRC04)**. This single pegmatite has an outcrop expression that is 300m long³.

In May 2023 Wildcat commenced exploration activities with a drone photographic survey to map and validate the pegmatite outcrops on the Tabba Tabba mining tenements. The Company announced that it had identified substantially more pegmatite outcrop through interpretation of the drone data in July 2023¹⁰.

Also in July 2023, Wildcat commenced an RC drilling program to systematically explore the Tabba Tabba mining tenement package for lithium mineralisation¹¹. A major lithium discovery was announced by the Company on the 18th September, 2023¹² after assay results confirmed thick intersections of lithium mineralised pegmatites were returned from multiple RC holes in the central and northern pegmatite clusters. Wildcat is continuing with an aggressive and systematic campaign of RC and DD drilling across the Mining Leases and to explore and evaluate this very significant lithium tantalum project.

⁹ ASX announcement 31st May 2023: https://www.investi.com.au/api/announcements/wc8/20e4fead-fa5.pdf

¹⁰ ASX announcement 5th June 2023: https://www.investi.com.au/api/announcements/wc8/f08da5f1-19e.pdf

¹¹ ASX announcement 14th July 2023: https://www.investi.com.au/api/announcements/wc8/0d6e63aa-fbc.pdf

¹² ASX announcement 18th September 2023: https://www.investi.com.au/api/announcements/wc8/bd9e13dc-76f.pdf

Forward-Looking Statements

This document may include forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning Wildcat Resources Limited's planned exploration programme and other statements that are not historical facts. When used in this document, the words such as "could," "plan," "estimate," "expect," "intend," "may", "potential," "should," and similar expressions are forward-looking statements. Although Wildcat Resources Limited believes that its expectations reflected in these forward-looking statements are reasonable, such statements involve risks and uncertainties and no assurance can be given that actual results will be consistent with these forward-looking statements.

Competent Person's Statement

The information in this announcement that relates to Exploration Results for Tabba Tabba Project is based on, and fairly represents, information compiled by Mr Samuel Ekins, a Competent Person who is a Member of the Australian Institute of Mining and Metallurgy (AusIMM). Mr Ekins is a fulltime employee of Wildcat Resources Limited. Mr Ekins has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Ekins consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

No New Information or Data: This announcement contains references to exploration results, Mineral Resource estimates, Ore Reserve estimates, production targets and forecast financial information derived from the production targets, all of which have been cross-referenced to previous market announcements by the relevant Companies. Wildcat confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements. In the case of Mineral Resource estimates, Ore Reserve estimates, production targets and forecast financial information derived from the production targets, all material assumptions and technical parameters underpinning the estimates, production targets and forecast financial information derived from the production targets contained in the relevant market announcement continue to apply and have not materially changed in the knowledge of Wildcat.

This document contains exploration results and historic exploration results as originally reported in fuller context in Wildcat Resources Limited ASX Announcements - as published on the Company's website. Wildcat confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements. In the case of Mineral Resource estimates, Ore Reserve estimates, production targets and forecast financial information derived from the production targets, all material assumptions and technical parameters underpinning the estimates, production targets and forecast financial information derived from the production targets contained in the relevant market announcement continue to apply and have not materially changed in the knowledge of Wildcat.

Appendix 1

Table 1: Significant intercepts - Assays reported 0.1% Li₂O cut-off grade with 10m internal dilution for aggregated intercepts and 0.3% Li₂O cut-off and 3m of dilution for internal high-grade zones.

00 0	•					
Hole ID	From (m)	To (m)	Intercept Length (m)	Est. True Width (m)	Grade (Li₂O %)	Prospect
TARC135	48	50	2	2	0.51	Leia
and:	97	119	22	21	0.57	
Including:	100	119	19		0.63	
_	165	178	13	12	0.84	
Including:	165	175	10		1.04	
TARC136	9	40	31	30	0.95	Leia
Including:	12	40	28		1.04	
		•				
TARC137	114	176	62	60	0.90	Leia
Including:	124	125	1		2.04	
and:	135	175	40	39	1.25	
	204	226	22	20	0.83	
Including:	204	217	13		1.30	
TARC142	36	45	9	8	0.68	Leia
	51	65	14	12	0.75	
	81	116	35	33	0.62	
Including:	82	109	27		0.75	
TARC143B	148	171	23	22	0.83	
Including:	150	168	18		0.99	
TARC145	17	31	14	14	1.33	Leia
Including:	19	30	11		1.64	
	51	67	16	16	0.93	
Including:	54	64	10		1.36	
	183	254	71	70	1.01	
Including:	183	230	47		1.46	
and:	252	254	2	2	0.50	
TARC146	90	91	1	1	0.58	Leia
TARC147	64	78	14	14	1.38	Leia
Including:	64	76	12		1.57	
	199	202	3	3	0.80	
	226	324	98	98	0.81	
Including:	232	243	11		1.50	

Hole ID	From (m)	To (m)	Intercept Length (m)	Est. True Width (m)	Grade (Li₂O %)	Prospect
and:	271	310	39		1.39	
and:	316	320	4		0.62	
TARC148	62	87	25	25	0.66	Leia
Including:	64	75	11		1.19	
and:	79	80	1		1.06	
TARC148	206	386	180	180	1.12	
Including:	209	230	21		1.45	
and:	234	299	65		1.23	
and:	306	318	12		0.63	
and:	322	377	55		1.43	
TARC151	175	180	5	5	0.57	Leia
and:	207	208	1	1	0.67	
TARC155D	118	123	5	5	0.68	Leia
	230	267	37	35	0.57	
Including:	240	248	8		1.99	
	278	316	38	36	0.57	
Including:	286	288	2		0.73	
and:	292	305	13		1.23	
	363	366	3	3	0.64	
TARC156	25	44	19	18	0.76	Leia
	27	41	14	13	0.97	
TARC210	130	138	8	8	1.17	Leia

Table 2: RC drill hole collar table (Hole IDs drilled since the last announcement are coloured blue)

Hole ID	Hole Type	MGA Easting (m)	MGA Northing (m)	RL (mASL)	Total Depth (m)	Azimuth	Dip	Assay Status	Prospect	Comments
TADD001	DD	699,926	7,713,424	101	300	268	-63	Pending	Leia	
TADD004	DD	699,826	7,713,274	97	219.1	268	-80	Pending	Leia	
TADD008	DD	700,146	7,713,372	104	640.2	272	-81	Pending	Leia	
TARC001	RC	700,747	7,714,616	106	222	233	-54	Received	The Hutt	
TARC002	RC	700,555	7,714,521	113	198	231	-56	Received	The Hutt	
TARC003	RC	700,604	7,714,566	117	150	224	-55	NSI	The Hutt	
TARC004	RC	700,651	7,714,602	110	168	226	-56	NSI	The Hutt	
TARC005	RC	700,725	7,714,660	110	228	232	-55	Received	The Hutt	
TARC006	RC	700,782	7,714,589	105	216	225	-56	Received	The Hutt	

Hole ID	Hole Type	MGA Easting (m)	MGA Northing (m)	RL (mASL)	Total Depth (m)	Azimuth	Dip	Assay Status	Prospect	Comments
TARC007	RC	700,817	7,714,563	105	150	229	-55	Received	The Hutt	
TARC008	RC	700,890	7,714,517	104	150	233	-54	Received	The Hutt	
TARC009	RC	700,770	7,714,424	107	240	196	-55	Received	The Hutt	
TARC010	RC	700,642	7,714,473	109	162	223	-55	Received	The Hutt	
TARC011	RC	700,541	7,714,623	113	168	224	-56	Received	The Hutt	
TARC012	RC	700,478	7,714,673	114	174	225	-54	NSI	The Hutt	
TARC013	RC	700,672	7,714,720	109	192	222	-55	Received	The Hutt	
TARC014	RC	700,845	7,714,748	105	288	227	-56	Received	The Hutt	
TARC015	RC	700,902	7,714,697	104	156	224	-55	Received	The Hutt	
TARC017	RC	700,391	7,714,261	113	156	269	-56	Received	Han	
TARC018	RC	700,457	7,713,662	102	150	236	-60	NSI	Tabba	
TARC019	RC	700,362	7,713,707	111	174	227	-61	NSI	Tabba	
TARC020	RC	700,312	7,713,789	115	174	227	-61	Received	Tabba	
TARC021	RC	700,269	7,713,836	110	168	235	-60	NSI	Tabba	
TARC022	RC	699,970	7,713,306	100	150	81	-60	Received	Chewy	
TARC023	RC	699,809	7,713,262	96	276	70	-59	Received	Chewy	
TARC024	RC	699,972	7,713,309	100	258	254	-56	Received	Chewy	
TARC025	RC	700,146	7,713,372	104	120	240	-55	NSI	Chewy	
TARC026	RC	699,965	7,713,155	100	115	65	-60	Received	Chewy	
TARC027	RC	699,820	7,713,159	95	180	104	-59	Received	Leia	
TARC028	RC	699,688	7,712,913	100	132	91	-55	Received	Leia	
TARC029	RC	700,095	7,713,249	102	150	274	-54	NSI	Chewy	
TARC030	RC	699,968	7,713,093	99	96	178	-57	Received	Chewy	
TARC031	RC	700,514	7,714,570	112	90	170	-55	NSI	The Hutt	
TARC032	RC	700,617	7,714,567	115	52	89	-60	Pending	The Hutt	
TARC033	RC	700,489	7,714,464	109	48	10	-55	NSI	The Hutt	
TARC034	RC	700,769	7,714,439	106	102	340	-55	Received	The Hutt	
TARC035	RC	700,447	7,714,260	116	192	248	-61	Received	Han	
TARC036	RC	700,331	7,714,376	120	150	247	-60	Received	Han	
TARC039	RC	700,414	7,714,339	115	204	246	-60	Received	Han	
TARC041	RC	700,402	7,714,408	114	210	238	-60	Received	Han	
TARC044	RC	700,386	7,714,220	111	204	241	-61	NSI	Han	
TARC048	RC	700,302	7,714,077	110	150	67	-60	NSI	Han	
TARC052	RC	699,813	7,713,243	96	108	258	-59	Received	Chewy	
TARC055	RC	700,861	7,714,595	103	204	229	-70	Received	The Hutt	
TARC059	RC	700,698	7,714,696	107	228	230	-90	Received	The Hutt	
TARC060	RC	700,698	7,714,700	107	225	225	-55	Received	The Hutt	
TARC064	RC	700,510	7,714,641	113	168	227	-56	NSI	The Hutt	
TARC065	RC	700,541	7,714,566	114	150	227	-55	NSI	The Hutt	
TARC070	RC	700,972	7,714,690	103	234	232	-81	Received	The Hutt	
TARC072	RC	700,920	7,714,527	103	198	236	-71	Received	The Hutt	
TARC076	RC	700,926	7,714,721	106	246	223	-75	Received	The Hutt	

Hole ID	Hole Type	MGA Easting (m)	MGA Northing (m)	RL (mASL)	Total Depth (m)	Azimuth	Dip	Assay Status	Prospect	Comments
TARC082	RC	700,829	7,714,634	103	186	227	-70	Received	The Hutt	
TARC084	RC	699,750	7,712,940	99	150	92	-60	Received	Leia	
TARC085	RC	699,654	7,712,915	98	228	95	-60	Received	Leia	
TARC086	RC	699,734	7,712,995	98	162	95	-59	Received	Leia	
TARC088	RC	699,693	7,712,870	101	240	91	-60	Received	Leia	
TARC089	RC	699,747	7,713,072	95	234	98	-61	Received	Leia	
TARC091	RC	699,798	7,712,945	99	174	272	-55	Received	Leia	
TARC092	RC	699,682	7,712,878	100	24	279	-60	Received	Leia	
TARC093	RC	699,728	7,713,003	97	18	270	-60	NSI	Leia	
TARC094	RC	699,618	7,712,335	103	156	310	-57	NSI	Boba	
TARC095	RC	699,638	7,712,409	105	150	301	-55	NSI	Boba	
TARC096	RC	699,647	7,712,545	101	210	298	-55	Received	Boba	
TARC097	RC	699,752	7,712,563	95	198	301	-55	NSI	Boba	
TARC098	RC	699,826	7,712,625	95	300	302	-55	NSI	Boba	
TARC099	RC	699,792	7,712,644	94	210	297	-56	NSI	Boba	
TARC100	RC	699,812	7,712,707	99	234	300	-55	Received	Boba	
TARC101	RC	699,510	7,712,469	98	108	302	-56	NSI	Boba	
TARC102	RC	699,691	7,712,623	101	180	301	-56	Received	Boba	
TARC103	RC	699,457	7,712,209	100	132	2	-55	Received	Boba	
TARC104	RC	699,417	7,712,309	100	84	301	-56	NSI	Boba	
TARC105	RC	699,372	7,712,134	100	150	273	-55	Received	Boba	
TARC107	RC	699,690	7,712,470	99	180	301	-56	NSI	Boba	
TARC108	RC	699,794	7,712,530	95	276	307	-55	NSI	Boba	
TARC111	RC	699,560	7,712,245	101	120	305	-55	Received	Boba	
TARC114	RC	699,457	7,711,928	102	102	302	-56	NSI	Boba	
TARC117	RC	699,788	7,713,081	94	102	269	-57	Received	Leia	
TARC118	RC	699,838	7,713,093	98	198	266	-56	Received	Leia	
TARC119	RC	699,907	7,713,068	97	276	270	-55	Received	Leia	
TARC120	RC	699,772	7,713,150	94	150	271	-56	NSI	Leia	
TARC121	RC	699,814	7,713,162	95	132	264	-56	Received	Leia	
TARC122	RC	699,771	7,713,232	95	36	269	-56	NSI	Leia	
TARC123	RC	699,891	7,713,227	99	204	271	-56	Received	Leia	
TARC124	RC	699,771	7,713,310	96	156	268	-57	NSI	Leia	
TARC125	RC	699,808	7,713,313	97	120	270	-57	NSI	Leia	
TARC127	RC	699,812	7,713,389	99	204	266	-54	Pending	Leia	
TARC128	RC	699,892	7,713,384	100	228	270	-55	Received	Leia	
TARC129	RC	699,809	7,713,466	99	150	270	-55	Pending	Leia	
TARC130	RC	699,891	7,713,467	100	288	268	-55	Received	Leia	
TARC131	RC	699,879	7,713,312	99	176	273	-56	Received	Leia	
TARC132	RC	700,051	7,713,313	102	336	273	-55	Received	Leia	
TARC133	RC	699,969	7,713,221	129	330	270	-55	NSI	Leia	
TARC134	RC	700,042	7,713,202	106	378	273	-55	Pending	Leia	

Hole ID	Hole Type	MGA Easting (m)	MGA Northing (m)	RL (mASL)	Total Depth (m)	Azimuth	Dip	Assay Status	Prospect	Comments
TARC135	RC	699,850	7,712,996	93	216	272	-55	Received	Leia	
TARC136	RC	699,757	7,712,977	98	180	271	-55	Received	Leia	
TARC137	RC	699,895	7,713,147	99	294	270	-56	Received	Leia	
TARC138	RC	699,718	7,712,983	99	120	270	-56	Received	Leia	
TARC139	RC	699,901	7,712,907	96	300	271	-55	Received	Leia	
TARC140	RC	699,715	7,712,909	102	150	270	-55	Received	Leia	
TARC141	RC	699,693	7,712,836	99	120	274	-60	Received	Leia	
TARC142	RC	699,718	7,712,818	96	180	271	-60	Received	Leia	
TARC143	RC	699,822	7,712,818	97	36	270	-60	Pending	Leia	
TARC143A	RC	699,823	7,712,818	97	36	268	-56	Not Sampled	Leia	
TARC143B	RC	699,822	7,712,842	99	216	273	-55	Received	Leia	
TARC144	RC	699,951	7,713,385	102	330	255	-55	Received	Leia	
TARC145	RC	699,957	7,713,486	102	372	266	-60	Received	Leia	
TARC146	RC	699,969	7,713,550	102	348	266	-60	Received	Leia	
TARC147	RC	700,038	7,713,469	106	366	267	-54	Received	Leia	
TARC148	RC	700,051	7,713,391	105	402	270	-55	Received	Leia	
TARC149	RC	699,971	7,713,623	111	300	270	-55	Pending	Leia	
TARC150	RC	699,968	7,713,093	99	348	252	-60	Pending	Leia	
TARC151	RC	699,893	7,712,837	97	324	267	-56	Received	Leia	
TARC152	RC	699,925	7,713,002	97	324	271	-55	Pending	Leia	
TARC153D	RC	700,455	7,713,383	98	228	258	-75	Pending	Leia	Pending DD
TARC154AD	RC	700,104	7,713,227	103	258	273	-60	Pending	Leia	Pending DD
TARC155D	RCD	700,053	7,713,549	107	384	268	-55	Received	Leia	
TARC156	RC	699,887	7,713,547	99	246	266	-56	Received	Leia	
TARC157	RC	699,812	7,713,549	99	150	268	-55	NSI	Leia	
TARC158	RC	699,893	7,713,629	103	150	270	-55	Pending	Leia	
TARC159	RC	700,052	7,713,629	103	372	269	-55	Received	Leia	
TARC161	RC	700,143	7,713,372	104	216.1	272	-55	Pending	Leia	
TARC161AD	RCD	700,143	7,713,372	104	468.4	275	-60	Pending	Leia	
TARC162D	RC	700,049	7,713,151	100	126	274	-60	Pending	Leia	Pending DD
TARC176	RC	699,360	7,712,990	98	198	270	-55	Pending	Lando	
TARC177	RC	699,480	7,712,990	98	180	270	-55	Pending	Lando	
TARC178	RC	699,591	7,712,992	96	198	270	-55	Pending	Lando	
TARC189	RC	699,871	7,713,927	101	180	266	-55	NSI	Lando	
TARC190	RC	699,990	7,713,949	102	198	276	-55	NSI	Lando	
TARC191	RC	700,109	7,713,954	104	300	266	-55	Received	Lando	
TARC192	RC	700,109	7,714,263	106	198	266	-55	Pending	Lando	
TARC210	RC	699,724	7,712,696	97	348	297	-55	Received	Boba	
TARC219D	RC	700,081	7,713,059	96	126	268	-58	Pending	Leia	Pending DD
TARC220D	RC	700,031	7,713,070	97	126	269	-56	Pending	Leia	Pending DD
TARC224	RC	699,968	7,713,150	100	342	267	-55	Pending	Leia	
TARC226AD	RC	700,118	7,713,149	98	189	267	-55	Pending	Leia	Pending DD

Hole ID	Hole Type	MGA Easting (m)	MGA Northing (m)	RL (mASL)	Total Depth (m)	Azimuth	Dip	Assay Status	Prospect	Comments
TARC226D	RC	700,120	7,713,150	98	68	267	-55	Pending	Leia	Pending DD
TARC234	RC	700,049	7,713,314	102	204	285	-67	Pending	Leia	
TARC240	RC	700,005	7,713,490	104	366	267	-60	Pending	Leia	
TARC241	RC	699,949	7,713,493	102	300	275	-57	Pending	Leia	
TARC246	RC	700,058	7,713,577	105	401	272	-70	Pending	Leia	
TARC247	RC	700,027	7,713,596	103	113	267	-60	Pending	Leia	
TARC252	RC	700,104	7,713,761	106	402	267	-60	Pending	Leia	Pending DD
TARC257D	RCD	699,891	7,712,837	97	121	267	-72	Pending	Leia	
TARC260	RC	700,008	7,712,952	94	342	250	-55	Pending	Leia	

Table 3: Intervals logged as pegmatite (no estimation of mineral abundance) – where the dominant rock type is logged as pegmatite or the internal dilution is equal or less then 2m in width. There may be instances where pegmatite occurs in an interval as the subordinate rock type mixed with host lithology and these zones are not included. Because of this some significant intercepts of mineralised intervals may be marginally wider than the pegmatite dominant intervals listed in the table.

Hole ID	From (m)	To (m)	Thickness (m)	Rock type	Assay Status
TADD008	5.2	7.6	2.4	Pegmatite	Pending
TADD008	11.2	13.6	2.4	Pegmatite	Pending
TADD008	54.7	55.4	0.8	Pegmatite	Pending
TADD008	103.9	110.8	6.9	Pegmatite	Pending
TADD008	230.4	286.3	55.9	Pegmatite	Pending
TADD008	336.5	345.2	8.8	Pegmatite	Pending
TADD008	364.1	365.5	1.4	Pegmatite	Pending
TADD008	418.9	419.3	0.4	Pegmatite	Pending
TADD008	423.2	424.5	1.3	Pegmatite	Pending
TADD008	571.8	574.9	3.1	Pegmatite	Pending
TADD008	602.7	603.2	0.4	Pegmatite	Pending
TARC154AD	20.0	22.0	2.0	Pegmatite	Pending
TARC154AD	63.0	79.0	16.0	Pegmatite	Pending
TARC154AD	208.0	258.0	50.0	Pegmatite	Pending
TARC162D	21.0	26.0	5.0	Pegmatite	Pending
TARC162D	40.0	54.0	14.0	Pegmatite	Pending
TARC219D	115.0	126.0	11.0	Pegmatite	Pending
TARC220D	1.0	43.0	42.0	Pegmatite	Pending
TARC226AD	28.0	59.0	31.0	Pegmatite	Pending
TARC226D	29.0	58.0	29.0	Pegmatite	Pending
TARC240	51.0	65.0	14.0	Pegmatite	Pending
TARC240	100.0	107.0	7.0	Pegmatite	Pending
TARC240	180.0	181.0	1.0	Pegmatite	Pending
TARC240	187.0	194.0	7.0	Pegmatite	Pending

Hole ID	From (m)	To (m)	Thickness (m)	Rock type	Assay Status
TARC240	209.0	247.0	38.0	Pegmatite	Pending
TARC240	260.0	316.0	56.0	Pegmatite	Pending
TARC241	20.0	30.0	10.0	Pegmatite	Pending
TARC241	60.0	72.0	12.0	Pegmatite	Pending
TARC241	194.0	247.0	53.0	Pegmatite	Pending
TARC241	253.0	257.0	4.0	Pegmatite	Pending
TARC241	262.0	265.0	3.0	Pegmatite	Pending
TARC252	0.0	15.0	15.0	Pegmatite	Pending
TARC252	19.0	20.0	1.0	Pegmatite	Pending
TARC252	30.0	34.0	4.0	Pegmatite	Pending
TARC252	110.0	119.0	9.0	Pegmatite	Pending
TARC252	158.0	172.0	14.0	Pegmatite	Pending
TARC252	318.0	370.0	52.0	Pegmatite	Pending

Cautionary note: In relation to the disclosure of visual observations of rock type, the Company cautions that visual estimates of pegmatite should never be considered a proxy for lithium mineralisation or a substitute for laboratory analysis. Laboratory assay results are required to determine the widths, mineralogy, and grade of lithium within the visible intercepts of pegmatite reported. The status of assays for each hole are listed in Table 2.

Appendix 2

JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	Criteria	Commentary
Sampling techniques	 Nature and quality of sampling (e.g. cut channels, random chips, or specific specialized industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and' the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	 Reverse circulation and diamond drilling completed by TopDrill Drilling. All RC drilling samples were collected as 1m composites, a 3-4kg sub-sample was collected for every 1m interval using a static cone splitter with the sub-sample placed into calico sample bags and the bulk reject placed in rows on the ground. Diamond core samples were collected in plastic core trays, sequence checked, metre marked and oriented using the base of core orientation line. It was then cut longitudinally down the core axis (parallel to the orientation line where possible) and half the core sampled into calico bags using a minimum interval of 30cm and a maximum interval of 1m. Pegmatite intervals were assessed visually for LCT mineralisation by the rig geologist assisted by tools such as ultraviolet light and LIBS analyser. All samples with pegmatite and adjacent wall rock samples were sent to ALS laboratories in Perth for chemical analysis. The entire 3kg sub-sample was pulverised in a chrome steel bowl which was split and an aliquot obtained for a 50gm charge assay. LCT mineralisation was assessed using the MS91-PKG package which uses sodium peroxide fusion followed by dissolution and analysis with ICP-AES and ICP-MS. Additional multielement analyses (48-element suite) using 4-Acid digest ICP-MS were requested at the rig geologist's discretion but have not yet been evaluated and are not reported in this announcement.
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Reverse circulation and diamond drilling with orientation surveys taken every 30m to 60m and an end of hole orientation using a Reflex gyro tool.
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. 	 Sample recovery (poor/good) and moisture content (dry/wet) was recorded by the rig geologist in metre intervals. The static cone splitter was regularly checked by the rig geologist as part of QA/QC procedures. Sub-sample weights were measured and recorded by the laboratory. No analysis of sample recovery versus grade has been made at this time.

	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	 All RC samples were qualitatively logged by the rig geologist. The rock types were recorded as pegmatite, basalt, and dolerite/gabbro. Pegmatite intervals were assessed visually for lithium mineralisation by the rig geologist assisted by tools such as ultraviolet light and LIBS analyser. All chip trays were photographed in natural light and ultraviolet light and compiled using Sequent Ltd's Imago solution. All diamond core was qualitatively logged by a site geologist and the core trays photographed
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	 3kg to 4kg sub-samples of RC chips were collected from the rig-mounted static cone splitter into uniquely numbered calico bags for each 1m interval. Diamond core is drilled with HQ or NQ diameter and is cut longitudinally down the core axis (along the orientation line where possible) with an Almonte core saw and half core samples between 30cm and 1m in length are sampled and collected in numbered calico bags. Duplicates, blanks and standards inserted at the same rate as for the RC samples. Sample sizes are appropriate to the crystal size of the material being sampled. Sub-sample preparation was by ALS laboratories using industry standard and appropriate preparation techniques for the assay methods in use. Internal laboratory standards were used, and certified OREAS standards and certified blank material were inserted into the sample stream at regular intervals by the rig geologist. Duplicates were obtained from piles of cuttings placed in rows on the ground using an aluminium scoop at the site geologist's discretion in zones containing visual indications of mineralised pegmatite.
Quality of assay data and laboratory tests	 The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	 The RC and diamond core cuttings were analysed with MS91-PKG at ALS using sodium peroxide fusion ICP-AES for a LCT suite, fire assay for gold, and 4-acid digest ICP-AES and ICP-MS for multi-element analysis. Appropriate OREAS standards were inserted at regular intervals. Blanks were inserted at regular intervals during sampling. Certified reference material standards of varying lithium grades have been used at a rate not less than 1 per 25 samples.
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. 	 No independent verification of significant intersections has been made. Significant intersections were checked by the Exploration Manager and the Managing Director. No twinned holes have been drilled at this time.

		Industrial and an analysis and the collection of
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	 Industry standard procedures guiding data collection, collation, verification, and storage were followed.
	Discuss any adjustment to assay data.	 No adjustment has been made to assay data as reported by the laboratory other than calculation of Li₂O% from Li ppm using a 2.153 conversion factor.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral	Location of drill holes were recorded by tablet GPS. Locational accuracy is +-1m in the XY and +-5m in the Z orientation.
	Resource estimation. • Specification of the grid system used.	The first 87 RC holes drilled YTD have been had collars surveyed using a DGPS. Remaining holes will be surveyed using DGPS on a campaign basis.
	Quality and adequacy of topographic control.	All current data is in MGA94 (Zone 51).
		Topological control is via GPS and DEM calculated from a drone photographic survey. The DEM is accurate to approximately 1m.
Data spacing	Data spacing for reporting of Exploration Results.	Drill holes are spaced at 40m to 160m intervals.
and distribution	 Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	There is abundant pegmatite outcrop and the drilling is spaced to determine continuity along strike and down dip. Infill drilling will also aim to close-off mineralisation along strike. At this stage there is insufficient data at a sufficient spacing to determine a Mineral Resource estimate.
	Threater camps composting that soon approal.	No sample compositing has been applied.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	No fabric orientation data has been obtained from the RC holes, although some holes have been logged with DH optical televiewer (OTV) and some structural data may be determined from this. Where OTV has been used on holes drilling from the northeast into Leia, the pegmatite has been intercepted at a perpendicular orientation to the hole axis, making the intercepts close to true width. These are also estimated against the geological model.
		All diamond holes are oriented with a base of hole orientation line and any relevant structures and fabrics are recorded qualitatively by the site geologist and recorded in the database. All diamond holes have intercepted the pegmatite at close to perpendicular to the core axis, making the intervals close to true width.
		True width has been estimated from a 3D geological model built using Leapfrog software.
		True width has not been estimated for holes which have potentially drilled down-dip of pegmatite bodies as the geometry of the pegmatite intersections cannot currently be determined. These holes include TARC028, TARC085, and TARC088 in previous announcements.
Sample security	The measures taken to ensure sample security.	All samples were packaged into bulka bags and strapped securely to pallets on site and delivered by TopDrill to freight depots in Port Hedland. The samples were transported from Port Hedland to Perth ALS laboratories via Toll or Centurian freight contractors.

Audits or	•	The results of any audits or reviews of sampling techniques and data.	•	No audit has been completed.
reviews				

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status Exploration done by other parties	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. Acknowledgment and appraisal of exploration by other parties. 	 Global Advanced Metals Ltd (GAM) owns 100% of the Tabba Tabba Project Mining Leases (M45/354; M45/375; M45/376 and M45/377) A binding agreement is in place between Wildcat and GAM for Wildcat to acquire the Tabba Tabba Project as announced on 17th May 2023: https://www.investi.com.au/api/announcements/wc8/4788276b-630.pdf No known impediments. Goldrim Mining Ltd and Pancontinental Mining Ltd ("PanCon") completed 24 OHP, 59 RC and 3 DD holes between 1984 and 1991. GAM drilling of 29 RC holes in 2013.
		Pilbara Minerals Ltd (PLS) completed 5 diamond holes in November 2013.
Geology	Deposit type, geological setting and style of mineralisation.	The Tabba Tabba pegmatites are part of the later stages of intrusion of Archaean granitic batholiths into Archaean metagabbros and metavolcanics. Tantalum mineralisation occurs in zoned pegmatites that intruded a sheared Archaean metagabbro. The pegmatite contains in outcrop a symmetrically disposed outer cleavlandite zone, mica zone and a megacrystic K feldspar zone with a centrally disposed quartz zone associated with an albitic replacement unit. The zones generally dip in sympathy with pegmatite margins. (Sourced from PanCon historical reports).
Drill hole information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	 Drillhole collar location information is provided in Appendix 1. True width estimations are provided for all holes. 137 RC drill holes, three diamond tails and three diamond drill holes have been drilled by Wildcat Resources and assays have been returned for 103 holes. These are from an area in the north of the tenement package focussed on two outcropping pegmatites (Hut and Han), an area in the centre of the tenement package focussing on two outcropping pegmatites (Leia and Chewy), the south at the Boba Pegmatite, and four holes down dip from the Tabba Tabba tantalum resource pegmatite. There are over 50 outcropping pegmatite bodies mapped over the tenement package and the drilling returned to date represents only a small area of the prospective pegmatite system that outcrops over 3.2km of strike. Note also that much of the area to the west is under alluvial cover.

Criteria	JORC Code explanation	Commentary
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.	No top cut off has been used. All samples represent 1m composites obtained from the RC drill rig, so no weighted averaging technique has been used to report significant intervals. Aggregated pegmatite intercepts calculated at a 0.1% Li ₂ O cutoff grade with a maximum of 10m consecutive internal dilution and reporting overall intercepts with an average grade >0.5%. All smaller significant intercepts and the high-grade intervals included within broader aggregated intercepts have been separately reported and calculated using 0.3% Li ₂ O cut off and a maximum of 3m of internal dilution. All pegmatite intercepts listed in Appendix 1, Table 3 are calculated from dominant rock type from database logged geology table as a composite allowing for 2m internal dilution of "other rock". But note the following point:
		Minor discrepancies between pegmatite thickness and mineralised intercepts may arise due to subjective interpretation of mixed intervals of pegmatite and host rock, i.e. in RC drilling where rock 1 is logged as mafic and estimated to constitute 60% of the logged interval and rock 2 is logged as pegmatite and constitute 40%. This may mean that the true boundary of the pegmatite may be wider than logged as rock type 1.
		 All aggregated intercepts have included separately reported significant intercepts. No metal equivalents have been used.
Relationship between mineralization widths and	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. 	 Most pegmatite intervals intercepted have returned assay results >0.3% Li₂O, some are mineralised in totality, others are partially mineralised with localised zones of lithium mineralisation below 0.3%Li₂O. This is expected in fractionated, zoned pegmatite systems.
intercept lengths	If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	All holes in this announcement have intercepted the pegmatites at a favourable angle.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	See this announcement for appropriate maps and sections.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All significant intercepts greater than 0.3% Li ₂ O have been reported in a separate table. All other intercepts or insignificant intercepts are reported in the collar table. To further provide a representative example of low and high grades a section has been provided on Figure 1 to show the gross interval, internal high-grade intervals and areas less than 0.3% Li ₂ O are shown as blank.
Other substantive	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey	The dominant lithium mineral species appears to be spodumene based on geological observations, observations of salmon orange fluorescence under ultraviolet light, and

Criteria	JORC Code explanation	Commentary
exploration data	results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	Fourier Transform Infra-Red (FTIR) analysis of one RC hole to date (the technique will be run on all holes once compared with the pending XRD to confirm robustness of the method). The FTIR technique uses reflected light spectra collected across the near (NIR), mid (MIR) and far (FIR) infra-red spectral ranges. When the sample is illuminated with infrared radiation, it absorbs certain frequencies of light that are characteristic of its chemical composition and crystal structure. ALS's FTIR-MIN method compares the absorption spectra with a library of known mineral spectra to identify the minerals present in the sample. Collected spectral data are fed into a mineral quantification model that uses a diverse range of thousands of real-world geological samples for which FTIR and quantitative XRD mineralogy data are available. A machine learning algorithm is used to associate the quantitative mineralogy and the FTIR spectra. With this technique, a few representative grams of homogenous, pulverised sample can be used to identify minerals based on their infrared absorption spectra. Further mineralogical work is in progress including quantitative XRD and thin sections.
Further work	 The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	An ongoing campaign of drilling with a minimum of two diamond rigs and a RC drill rig to confirm the nature, orientation and extent of lithium mineralisation throughout the Tabba Tabba pegmatite field. An optical televiewer tool may be further trialled to obtain coherent data from drilled RC holes.