

A NEW FORCE IN RUTILE


KASIYA: A RAPIDLY EXPANDING HIGH-GRADE RUTILE DISCOVERY

AUGUST 2020

ABN: 71 120 833 427 | ASX : SVM



Sovereign Metals – A New Force in Rutile



KASIYA DEPOSIT
AN EMERGING
COMPANY
MAKER



STRONG
MARKET
FUNDAMENTALS



INFRASTRUCTURE
IN PLACE



MULTIPLE
HIGH-GRADE
RUTILE PROSPECTS



SIMPLE
MINING AND
PROCESSING



HUGE
EXPLORATION
UPSIDE




A Genuinely Scarce Commodity



Rutile: The rarest, highest grade and most valuable titanium source

- ◆ Rutile primarily is used as pigment (paints, plastics and paper), welding rods and for titanium metal
- ◆ Global supply of rutile in structural deficit
- ◆ Mature mines with declining grades
- ◆ General lack of new rutile-rich deposits to fill the gap
- ◆ Natural rutile has a far lower carbon footprint compared to substitute titanium feed-stocks (synthetic rutile or titanium slag)



Natural Rutile has a Far Lower Carbon Footprint

Natural rutile is the cleanest, purest form of titanium dioxide. It is favoured by pigment producers over higher energy and carbon intensive “upgraded” titanium feed-stocks such as synthetic rutile or titanium slag

Mined natural rutile is extracted in a form ready for pigment production

Mining & Processing



Pigment Production




Synthetic rutile and titanium slag are products of energy & carbon-intensive upgrading of ilmenite prior to pigment production

Mining & Processing



Energy + Carbon Intensive Upgrading Process



Synthetic rutile (~90% TiO₂)
Titanium Slag (~80% TiO₂)

Pigment Production




“...alumina refining, aluminium smelting and the upgrading of titanium feedstocks are all high temperature, energy intensive processes...lifting the Group’s average carbon intensity...”¹

1. Rio Tinto’s Climate Change Report 2019

Kasiya Rutile Discovery – An Emerging Company Maker

Kasiya has the characteristics of a company making asset: large, high-grade and at surface

- ◆ All mineralisation occurs from surface and is hosted in soft, free-dig, friable saprolite
- ◆ Mineralised zone: +7.5km strike length with surface widths up to ~3.0km
- ◆ Mineralised zone continues to be **open along strike in both directions and open laterally** to the south east
- ◆ Significant ongoing exploration upside
- ◆ Located in close proximity to existing infrastructure



Kasiya Deposit – High-Grade & Expansive

Recent drilling has significantly increased high-grade rutile areas

Key Results


- 10m @ 1.53% rutile inc. 3m @ 2.31% rutile from surface
- 14m @ 1.24% rutile inc. 4m @ 1.95% rutile from surface
- 7m @ 1.27% rutile inc. 3m @ 1.80% rutile from surface
- 5m @ 1.43% rutile inc. 2m @ 2.04% rutile from surface
- 11m @ 1.52% rutile inc. 7m @ 1.99% rutile from surface
- 9m @ 1.19% rutile inc. 3m @ 1.86% rutile from surface
- 11m @ 1.37% rutile inc 5m @ 1.82% rutile from surface
- 11m @ 1.33% rutile inc. 5m @ 1.79% rutile from surface
- 13m @ 1.13% rutile inc. 4m @ 1.86% rutile from surface

“Kasiya is now displaying what we believe to be some of the highest-grade, thickest and spatially expansive rutile drill-intercepts globally”

Sovereign’s Managing Director, Julian Stephens



Exceptionally High-Grades from Surface




- ❖ A large percentage of intercepts remain open at depth
- ❖ High-grade rutile mineralisation is interpreted to extend to the base of the soft saprolite at around 25m
- ❖ Exceptionally high rutile grades from surface substantially enhance the economic potential of Kasiya
- ❖ High-grade and thick rutile drill intercepts predicted by the company's refined geological exploration targeting model
- ❖ Maiden JORC Mineral Resource Estimate on target for late Q3 2020

Kasiya – Conventional Proven Flowsheet



Significantly de-risked

- ◆ Simple, conventional flowsheet
- ◆ Each drill-sample processed represents a mini metallurgical test in its own right
- ◆ Single heavy mineral product = simplified back-end mineral separation plant (MSP)




Premium Rutile Product For All End Markets

Initial metallurgical results on saprolite-hosted mineralisation show highly favourable, premium rutile product specifications

- ◆ 96% TiO₂
- ◆ No critical impurities
- ◆ Standout chemical parameters
- ◆ Highly favourable grain size distribution
- ◆ d50 of 123-129µm comparable to leading market products
- ◆ Suitable for all major natural rutile end-use markets

Natural End Users of Rutile



Source: TZMI

Comparison of Sovereign's Rutile Specifications to Leading Global Producers

Constituent		Malawi Rutile (Sovereign)	Sierra Rutile (Iluka)	RBM (Rio Tinto)	Kwale (Base Resources)	Namakwa Sands (Tronox)
TiO ₂	%	96.0	96.29	93.30	96.18	94.50
ZrO ₂ +HfO ₂	%	0.14	0.78	1.30	0.72	1.10
SiO ₂	%	1.29	0.62	2.00	0.94	2.00
Fe ₂ O ₃	%	0.97	0.38	0.70	1.25	0.8
Al ₂ O ₃	%	0.33	0.31	0.90	0.23	0.6
Cr ₂ O ₃	%	0.046	0.19	0.11	0.17	0.14
V ₂ O ₅	%	0.50	0.58	0.40	0.52	0.33
Nb ₂ O ₅	%	0.25	0.15	0.30	-	0.04
P ₂ O ₅	%	0.036	0.01	0.03	0	0.02
MnO	%	<0.01	0.01	-	0.03	0.4
MgO	%	0.01	<0.01	-	0.1	0.01
CaO	%	0.02	0.01	-	0.04	0.04
S	%	0.02	<0.01	<0.05	-	0.01
Sn	%	0.005	-	-	-	-
U+Th	ppm	30	26	100	-	-

"Iluka" is Iluka Resources Limited; "Rio Tinto" is Rio Tinto plc; "Base Resources" is Base Resources Limited; "Tronox" is Tronox Holdings plc. "-" is not disclosed. Sources: RBM data from World Titanium Resources Ltd TZMI Conference Presentation November 2011 (Updated January 2012); Sierra Rutile, Kwale and Namakwa Sands data from BGR Assessment Manual titled "Heavy Minerals of Economic Importance" 2010. Sovereign's results are extracted from the Company's ASX Announcement dated 24 June 2019.

Comparison of Sovereign's Rutile d50 to Leading Global Producers

Constituent	Malawi Rutile (Sovereign)	RBM (Rio Tinto)	Namakwa Sands (Tronox)
d50	123-129 µm	124 µm	124 µm



"Rio Tinto" is Rio Tinto plc; "Tronox" is Tronox Holdings plc.

Source: BGR Assessment Manual titled "Heavy Minerals of Economic Importance" 2010



Malawi – Stable, Transparent Jurisdiction

- ◆ A stable, transparent jurisdiction
- ◆ Increasingly attracting international investment
- ◆ Significant potential and appetite for mining
- ◆ Excellent operating infrastructure in place



Operation-Ready Infrastructure

Infrastructure in place to connect Sovereign to global rutile markets



Established rail network direct to Nacala Port
MoU in place with rail & port operator



Paved roads surrounding project locations





Grid power becoming available
across license areas



Established labour pool and other industrial
services



Plentiful water sources for operations



Kasiya – Simple and Lower Risk



Mining

High-grade rutile mineralisation from surface

Soft, friable material – should be suitable for efficient hydro or dozer-trap mining methods



Processing

Simple, conventional flowsheet already demonstrated

Single heavy mineral product = simplified back-end mineral separation plant (MSP)



Progressive Rehabilitation

Positioned for effective ESG outcomes


Tailings show excellent settling characteristics

Land to be progressively returned to original condition (farms/bushland)

A New Rutile Province Discovered

Sovereign has identified a potentially globally significant, strategic rutile province across its large Malawi ground holding

- ❖ The Malawi Rutile Province features two confirmed, discrete rutile mineralisation styles;
 - Residual saprolite which is soft, friable weathered material i.e. Kasiya
 - Traditional placer sand i.e. Bua Channel
- ❖ Bua Channel - confirmed as a high-grade, rutile dominant, sand-hosted, channel placer deposit with drilling over an initial 8km
- ❖ Further extensional drilling over the Bua Channel's full ~50km length is in the advanced planning and permitting stage



Solid Knowledge Base Paving the Way

Sovereign has been active in Malawi for over 8 years, taking a saprolite-hosted graphite project to PFS and then DFS - technical level.

The data gathered gives us a substantial head start and offers significant benefits in terms of cost and time savings to progress our rutile projects

- ◆ Geology – identical lithologies and weathering profile
- ◆ Mining – the same host material
- ◆ Processing – the same front-end
- ◆ Infrastructure – strong knowledge base
- ◆ Logistics – same logistic solution
- ◆ Permitting – same process, framework and policies
- ◆ Personnel – same management and team
- ◆ Country – established presence



Ongoing Work Programs

- ◆ Maiden JORC Mineral Resource estimate for Kasiya is targeted for late Q3, 2020
- ◆ Bulk-scale metallurgical test-work on a 1 tonne sample from Kasiya is near completion with results expected in the coming weeks
- ◆ Push-tube drilling at Kasiya to twin hand-auger holes also to obtain cored samples for specific gravity determination and initial geotechnical analysis
- ◆ Step-out and regional drilling at Kasiya and the broader surrounding area to identify extensions and satellite rutile mineralisation zones
- ◆ Mining and tailings studies are ongoing in order to feed in to a future Scoping Study
- ◆ Utilising the Company's refined geological exploration model targeting more high-grade, Kasiya-like rutile mineralisation regionally
- ◆ Investigation of the potential for a coarse-flake graphite by-product from Kasiya



Sovereign – A Compelling Rutile Opportunity



- ✓ KASIYA: LARGE SCALE, HIGH-GRADE & AT SURFACE
- ✓ SIMPLE MINING & PROCESSING
- ✓ NEW, GLOBALLY SIGNIFICANT RUTILE PROVINCE
- ✓ RUTILE MARKET IN DEFICIT
- ✓ EXCELLENT INFRASTRUCTURE
- ✓ STABLE, TRANSPARENT JURISDICTION



THANK YOU


APPENDICES



Rutile – Rarest, Highest Value & Grade Titanium Mineral



Titanium dioxide occurs in nature predominantly as ilmenite & much less commonly as **natural rutile**




1. Sulphate ilmenite includes sulphate slag production; chloride ilmenite includes chloride slag production; synthetic rutile and upgraded chloride slag ("UGS") not included
Source: TZMI

Rutile – A Genuinely Scarce Commodity



No high-grade rutile discoveries in over a decade... until now

Global rutile supply/demand



Source: TZMI

SUBSTANTIAL MARKET SPACE FOR A NEW RUTILE PRODUCER


- ◆ Global supply of rutile in structural deficit
- ◆ Mature mines with declining grades
- ◆ General lack of new rutile-rich deposits to fill the gap

Rutile's Scarcity Means Limited Comparable Projects

Two projects with the most similarities make up over 32%* of global rutile production



Assemblage – based on resource



Current rutile resource ¹ -

739Mt @ 1.1% rutile

Current rutile reserve ¹ -

272Mt² @ 1.3% rutile

Annual rutile production –
12 months to 31 December 2019

137,000 tonnes


Ore mined –

12 months to 31 December 2019

8,278,000 tonnes



Assemblage – based on resource



Current rutile resource ³ -

246Mt @ 0.26% rutile

Current rutile reserve ³ -

40Mt @ 0.44% rutile

Annual rutile production –
12 months to 30 June 2020

78,920 tonnes

Ore mined –

12 months to 30 June 2020

18,056,841 tonnes

1. Iluka Resources Limited, Sierra Rutile: Resource and Reserve as at 31 December 2019. Resource also includes 739Mt @ 0.8% Ilmenite & 0.1% Zircon

2. 70% of Ore Reserves relate to the Sembehun expansion project.

3. Base Resources Limited, Kwale: Resource and Reserve as at 30 June 2020. Resource also includes 246Mt @ 1.0% Ilmenite & 0.1% Zircon. Reserve also includes 40Mt @ 1.9% Ilmenite & 0.2% Zircon


* Sovereign's estimate based on Iluka Resources Limited and Base Resources Limited's reported 2019 production calculated against TZMI's forecasted 2019 production (680,000 tonnes).

All information sourced from Company Reports.

Very Strong Rutile Market Fundamentals

The natural rutile market has recently shifted to a supply deficit

Historical and Forecast Rutile Pricing



Source: TZMI (February 2019)



"Iluka's sales constrained by production in 2019"¹



ILUKA



"Rutile demand remains strong and ongoing restricted supply is currently maintaining a tight market"²



**BASE
RESOURCES**

Source:


1. Iluka Resource's Presentation released 26 February 2020
2. Base Resource's 31 March 2020 Quarterly Report

Supply tightness driving price upwards – very strong short, medium and long-term outlook

Huge Exploration Upside


Advanced Targets

- ◆ Significant number of untested targets across the Company's very large ground package
- ◆ Regional exploration continues to identify new rutile prospects
- ◆ Majority of key prospects and targets are located near key infrastructure
- ◆ Huge exploration upside – large amount of unexplored ground



Bua Channel Prospect

Drilling confirms Bua Channel as a high-grade, rutile dominant, sand-hosted, channel placer deposit within the emerging Malawi Rutile Province.



Exploration well underway

- ✦ Excellent grades of rutile and high-quality chloride ilmenite with a TiO_2 content of ~60%
- ✦ Further extensional drilling over its full ~50km length is in the advanced planning and permitting stage

Shallow drilling results

- 7m @ 0.81% rutile, 1.0% ilmenite & 0.11% zircon (from surface)
Inc. 3m @ 1.03% rutile, 1.2% ilmenite & 0.13% zircon (from 4m)
- 6m @ 1.09% rutile, 1.6% ilmenite & 0.13% zircon (from surface)
Inc. 4m @ 1.28% rutile, 1.9% ilmenite & 0.15% zircon (from 2m)

Air-core results

- 8m @ 0.88 % rutile, 1.5% ilmenite & 0.08% zircon (from surface)
Inc. 5m @ 1.02% rutile, 1.7% ilmenite & 0.09% zircon (from 3m)
- 7m @ 0.86% rutile, 1.4% ilmenite & 0.08% zircon (from surface)
Inc. 3m @ 1.05% rutile, 1.7% ilmenite & 0.09% zircon (from 4m)

Corporate Information

Management team with a proven track record of success

<p>IAN MIDDLEMAS <i>Chairman</i></p>	<p>Mr Middlemas was a Senior Group Executive for Normandy Mining for more than ten years, which was Australia's largest gold miner before merging with Newmont Mining. He is currently Chairman of Salt Lake Potash, Berkeley Energia, Prairie Mining & a number of other listed resource companies.</p> <p>Mr Middlemas was also previously Chairman of Papillon Resources Limited and Mantra Resources Limited.</p>
<p>JULIAN STEPHENS <i>Managing Director</i></p>	<p>Dr Stephens is a Geologist with over 20 years experience in mineral exploration across many commodity types, and has spent 14 years working on minerals projects in Malawi.</p> <p>Dr Stephens identified, secured and led the team that discovered rutile and graphite mineralisation across Sovereign's large ground position in Malawi.</p>
<p>BEN STOIKOVICH <i>Project Consultant</i></p>	<p>Mr Stoikovich is a Mining Engineer with 25 years experience in mine operations and mineral project development and finance. He has extensive experience in Africa having previously worked for Lonmin and Standard Bank. Mr Stoikovich is based in London. He commenced his career with BHP Billiton.</p>
<p>SAM CORDIN <i>Business Development Manager</i></p>	<p>Mr Cordin is an experienced Chartered Accountant who commenced his career at a large international accounting firm and has since been involved with a number of ASX and AIM listed exploration and development companies operating in the resources sector, including most recently Salt Lake Potash Limited.</p>
<p>ANDRIES KRUGER <i>Country Manager</i></p>	<p>Mr Kruger is a Geologist with over 20 years experience in mineral exploration.</p> <p>Mr Kruger has spent 10 years working on major Malawian minerals projects for ASX listed companies, directing all in-country activities relating to project development.</p>

CAPITAL STRUCTURE

Shares on Issue ¹	394,237,561
Unlisted Options ¹ (\$0.10 to \$0.18)	20,025,000
Un-Diluted Market Capitalisation @A\$0.22 ^{1,2}	A\$86.7 m
Cash ³	~A\$3.6 m

- Equities on issue as at 12 August 2020
- Closing price 12 August 2020
- Cash as at 31 July 2020


ANALYST COVERAGE

Sprott



TAYLOR COLLISON

REGISTER BREAK-DOWN



As at 5 August 2020.
All categories estimations

DISCLAIMERS & DISCLOSURES

AUTHORISATION STATEMENT

This presentation has been approved and authorised for release by the Company's Managing Director, Dr Julian Stephens.

DISCLAIMER NOTICE

This presentation has been prepared as a summary only, and does not contain all information Sovereign Metals Limited's ("SVM") assets and liabilities, financial position and performance, profits and losses, prospects, and the rights and liabilities attaching to SVM's securities. The securities issued by SVM are considered speculative and there is no guarantee that they will make a return on the capital invested, that dividends will be paid on the shares or that there will be an increase in the value of the shares in the future. SVM does not purport to give financial or investment advice. No account has been taken of the objectives, financial situation or needs of any recipient of this report. Recipients of this report should carefully consider whether the securities issued by SVM are an appropriate investment for them in light of their personal circumstances, including their financial and taxation position. The material in this presentation ("material") is not and does not constitute an offer, invitation or recommendation to subscribe for, or purchase any security in SVM nor does it form the basis of any contract or commitment. SVM makes no representation or warranty, express or implied, as to the accuracy, reliability or completeness of this material.

SVM, its directors, employees, agents and consultants shall have no liability, including liability to any person by reason of negligence or negligent misstatement, for any statements, opinions, information or matters, express or implied, arising out of, contained in or derived from, or for any omissions from this material except liability under statute that cannot be excluded. Statements contained in this material, particularly those regarding possible or assumed future performance, costs, dividends, production levels or rates, prices, resources, reserves or potential growth of SVM, industry growth or other trend projections are, or may be, forward looking statements. Such statements relate to future events and expectations and, as such, involve known and unknown risks and uncertainties. Actual results and developments may differ materially from those expressed or implied by these forward looking statements depending on a variety of factors.

FORWARD LOOKING STATEMENT

This presentation may include forward-looking statements, which may be identified by words such as "expects", "anticipates", "believes", "projects", "plans", and similar expressions. These forward-looking statements are based on Sovereign's expectations and beliefs concerning future events. Forward looking statements are necessarily subject to risks, uncertainties and other factors, many of which are outside the control of Sovereign, which could cause actual results to differ materially from such statements. There can be no assurance that forward-looking statements will prove to be correct. Sovereign makes no undertaking to subsequently update or revise the forward-looking statements made in this release, to reflect the circumstances or events after the date of that release.

COMPETENT PERSONS STATEMENT

The information in this presentation that relate to Exploration Results (Rutile) and QEMSCAN results are extracted from announcements on 7 November 2018, 24 January 2019, 24 June 2019, 7 August 2019, 23 September, 6 November 2019, 16 January 2020, 3 February 2020, 24 February 2020, 17 March 2020, 8 April 2020, 22 April 2020, 26 May 2020, 22 June 2020, 13 July 2020 and 5 August 2020. These announcements are available to view on www.sovereignmetals.com.au. The information in the original announcements that related to Exploration Results were based on, and fairly represents, information compiled by Dr Julian Stephens, a Competent Person who is a member of the Australasian Institute of Geoscientists (AIG). Dr Stephens is the Managing Director of Sovereign Metals Limited and a holder of shares, options and performance rights in Sovereign Metals Limited. Dr Stephens has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

The information in this presentation that relates to Metallurgical Testwork Results (Rutile) is extracted from an announcement dated 24 June 2019. This announcement is available to view on www.sovereignmetals.com.au. The information in the original ASX Announcements that related to Metallurgical Testwork Results was based on, and fairly represents, information compiled by compiled by Mr Gavin Diener, a Competent Person who is a member of the AusIMM. Mr Diener is the Chief Operating Officer of TZMI, an independent mineral sands consulting company and is not a holder of any equity type in Sovereign Metals Limited. Mr Diener has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. The Company confirms that it is not aware of any new information or data that materially affects the information including in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.



SOVEREIGN
METALS LIMITED

Sovereign Metals Limited | ASX : SVM

T: +61 8 9322 6322 | F: +61 8 9322 6558

E: info@sovereignmetals.com.au | www.sovereignmetals.com.au

Level 9, 28 The Esplanade, PERTH WA 6000 | ABN: 71 120 833 427