30 November 2023

HIGH GRADE ASSAYS CONTINUE TO IMPRESS AT COLINA DEPOSIT

Colina Infill, Southwest Extension, and Deep drilling results expected to increase JORC Resource

HIGHLIGHTS

- **Exceptional high-grade assays continue to flourish at the Company's Tier One Salinas Lithium Project.**
- **Upgrade of the current Colina Mineral Resource Estimate (MRE) (current MRE: 45.2Mt @ 1.32% Li_2O[1]) is expected for a December 2023 release, following completion and receipt of all assay results from the latest resource expansion drilling program.**
- **Since the previous MRE release in June 2023, an additional 53 holes (for 23,617m) have been drilled at Colina Deposit and a total of 13 diamond drill holes for 4,575.7m have been completed at Fog's Block.**
- **Significant intercepts from the latest Colina Deposit resource expansion drilling program have been received. Highlights as follows:**
  - **SADD158: 15.70m @ 1.59% Li_2O from 206.09m**
  - **SADD158: 20.74m @ 1.42% Li_2O from 335.45m**
  - **SADD170: 17.54m @ 1.42% Li_2O from 350.53m**
  - **SADD184: 17.00m @ 1.55% Li_2O from 139.00m**
  - **SADD195: 13.56m @ 2.03% Li_2O from 98.44m**
  - **SADD195: 25.55m @ 1.57% Li_2O from 307.80m**
  - **SADD200: 16.98m @ 1.85% Li_2O from 235.54m**
  - **SADD201: 15.88m @ 1.27% Li_2O from 329.12m**
  - **SADD202: 26.85m @ 1.39% Li_2O from 260.75m**
- **Significant intercepts from the latest Fog's Block drilling program have been received. Highlights as follows:**
  - **MCDD007: 6.94m @ 1.13% Li_2O from 278.06m**
  - **MCDD008: 15.33m @ 1.03% Li_2O from 211.74m**
  - **MCDD009: 12.60m @ 1.15% Li_2O from 173.40m**
  - **MCDD009: 17.52m @ 1.48% Li_2O from 250.58m**

[1] Refer to LRS's ASX Announcement dated 20 June 2023, entitled "*241% Increase for the Colina Mineral Resource*"

- **At least 10- diamond drill rigs will continue to operate at Salinas Project through 2024, where the Company expects the Global JORC MRE to grow significantly by implementing the additional drilling program.**

Latin Resources Limited (ASX: LRS) ("**Latin**" or "the **Company**") is pleased to provide an update on the Colina Deposit resource definition drilling program at the Company's 100% owned Salinas Lithium Project ("**Salinas Project**") in Brazil.



Figure 1: Colina Deposit plan, showing location of the Colina Extensional, Infill and Fog's Block drilling programs.

Latin Resources' Vice President of Operations - Americas, Tony Greenaway, commented:

"We continue to see solid results coming out of our drilling at Colina. This latest update represents a solid 5 months of drilling which was focused on extending the Colina Deposit to the southwest along the Salinas Lithium Corridor, as well as infilling parts of the existing resource model. The geology team on site have been working closely with our independent resource consultants SGS geological services to construct the new wireframes and compile all the necessary data to update our resource model which will form the basis of the DFS which is scheduled for completion in mid-2024.

Drilling has not stopped on site, with all ten rigs still turning. We have moved our focus to predominantly infill drilling within the new resource footprint, with the aim of increasing the resource classification to enable the declaration of mining reserves as a part of the DFS process."

SALINAS PROJECT- COLINA DEPOSIT

The latest round of assay results has been received from the Colina Deposit and Fog's Block drilling programs, where outstanding results continue to improve the mineralised footprint of the Colina Deposit and firms a new mineral resource potential at Fog's Block.

These ongoing drilling programs continue to yield more information about the possible scale, importance, and expansion possibilities of the Colina Deposit. Multiple high-grade intercepts have emerged beyond the current Colina MRE boundary, as well as along its margins.

10 rigs are currently operating on site undertaking the balance of the 65,000m diamond drill program throughout the remainder of 2023. Recently, the Company successfully raised $35 million in an oversubscribed placement[2], where the use of funds, amongst other things will be used toward an expanded 2024 drilling program. The 2024 program will continue to increase tonnage and upgrade the confidence level in the current Colina MRE and to further identify and validate new priority drill targets at Colina and Fog's Block.

As part of this announcement, new drilling results are being released for the following drill programs currently being undertaken by the Company:

Colina Deposit	Colina Infill Diamond Drilling
	Colina Southwest Extension Diamond Drilling
	Colina Deep Drilling
	Colina Scout Drilling
	Colina Metallurgical Drilling
Fog's Block	Exploration Diamond Drilling



Figure 2: Current 45.2Mt Colina MRE[1] with mining pit shell and collar locations.

[2] Refer to LRS's ASX Announcement dated 23 October 2023, entitled "*Latin Resources Receives Firm Commitments for a A$35.0 Million Placement To Progress Exploration On Its Salinas Project*"

COLINA DEPOSIT RESOURCE DEFINITION DRILLING PROGRAM- COMPLETE

The Company has now completed all drilling and received all assay results from the latest diamond resource definition drilling program at the Colina Deposit ("**Resource Program**"), which will be used in the upcoming Colina Mineral Resource Estimate ("**Colina MRE**").

The current Colina MRE released to the market on 20 June 2023 was based on 135 holes for 39,033m of drill core, with the previous December 2022 Maiden MRE based on 47 holes for 10,528m of drill core.

Since the Colina MRE released in June 2023, the Company has now completed a further 53 holes for 23,617m of drilling at Colina Deposit, bringing the total drill holes to 188 for approximately 62,650m of drill core.

Drilling was primarily concentrated on infill, extensional and deep drilling programs across the Colina Deposit with the focus on increasing tonnage and improving resource confidence at the Colina MRE (**Figure 3**):

- 47 drill holes were drilled across the infill and extensional drilling programs;
- 6 larger HQ diameter drill holes (***SADD158, SADD170, SADD184, SADD185, SADD195 and SADD200***) form part of the Colina Deposit Deep drilling program, which was designed to test the potential extents of the lithium mineralisation system at depth within the Colina MRE; and
- 7 drill holes (**SAMT001 to SAMT007**) form the Colina metallurgical diamond drilling program, which was undertaken to derive a representative bulk sample from selected mineralised and unmineralised zones across the Colina Deposit. The material will be used for further extensive test work on the Colina Deposit ore, notably used toward the Definitive Feasibility Study ("**DFS**"), scheduled for a mid- 2024 release. These 7 holes are separate to the 53 holes from the Resource Program.

Highlights of the significant drill intercepts from the above-mentioned programs are included in **Table 1** below.

For the complete collar and assay details that will comprise the Colina MRE upgrade, refer to **Appendix B and C**.



Figure 3: Location of Colina SW and Colina Infill drilling collars.

These additional assay results from the latest phase of Resource Drilling have continued to deliver both grade consistency and pegmatite continuity, with the Colina Deposit expected to grow significantly in size. To date, the intercepts encountered have improved the Company's understanding of the connectivity of the mineralisation between the Colina MRE itself and the extensional areas, showing further spodumene grade, quality and also consistency along strike and depth (**see Figures 4, 5, 6 and 7 cross sections**).

The results received from these programs will be incorporated into the upcoming Colina MRE update. The Company remains confident that the Colina MRE will grow in tonnage and improve resource confidence, with the Colina MRE update set to deliver a significant milestone for the Company with the Colina Deposit tracking toward a globally recognised tier 1 asset.

SGS Geological Services ("**SGS**") in Canada has been appointed to undertake the independent update of the Colina MRE, which is expected to be completed in December 2023. SGS also undertook both the June 2023 and December 2022 Colina MRE's.

The Company notes that the latest results are a phase of the broader continuous infill and extensional drilling program, with the key task of this program to deliver increased tonnes and resource confidence at Colina. Further MRE updates are anticipated throughout 2024.

Table 1: Significant drill intercepts from the Colina Infill, Extension, Deep and Metallurgical programs.

Hole ID	From (m)	To (m)	Interval (m)	Li_2O%	Target
SADD158	206.09	221.79	15.7	1.59	Colina
SADD158	314.87	324	9.13	1.61	Colina
SADD158	335.45	356.19	20.74	1.42	Colina
SADD170	350.53	368.07	17.54	1.42	Colina
SADD176	150.66	161	10.34	1.23	Colina
SADD179	122	132.15	10.15	1.17	Colina
SADD181	172.83	187.7	14.87	1.72	Colina
SADD181	284.21	293.86	9.65	1.76	Colina
SADD181	284.21	293.86	9.65	1.76	Colina
SADD184	139	156	17	1.55	Colina
SADD184	437.03	447	9.97	1.12	Colina
SADD187	158.97	170	11.03	1.66	Colina
SADD189	148.59	162.06	13.47	1.12	Colina
SADD194	82	90.92	8.92	2.05	Colina
SADD194	98.93	113.12	14.19	1.71	Colina
SADD194	339.28	349.22	9.94	1.37	Colina
SADD194	391.61	401.05	9.44	1.41	Colina
SADD195	70.7	83.19	12.49	1.67	Colina
SADD195	98.44	112	13.56	2.03	Colina
SADD195	307.8	333.35	25.55	1.57	Colina
SADD195	390.62	413.5	22.88	1.26	Colina
SADD200	155.03	169	13.97	1.34	Colina
SADD200	235.54	252.52	16.98	1.85	Colina
SADD201	297.22	309	11.78	1.58	Colina
SADD201	329.12	345	15.88	1.27	Colina
SADD202	260.75	287.6	26.85	1.39	Colina
SAMT001	333	352.2	18.2	1.36	Metallurgical
Including:	333	345	11	2.13	Metallurgical
SAMT002	167.07	180	11.93	1.78	Metallurgical
SAMT002	224	236.2	12.2	1.43	Metallurgical
SAMT002	247.31	263.32	16.01	1.59	Metallurgical
Including:	248.39	254.41	6.02	2.36	Metallurgical
SAMT003	117.6	133.76	15.2	1.43	Metallurgical

SAMT005	207.07	217.89	10.82	1.46	Metallurgical
SAMT005	*236.64*	*246*	9.36	*1.68*	Metallurgical
SAMT006	*148.08*	*161*	12.92	*1.65*	Metallurgical
SAMT006	*205.93*	*226.03*	20.1	*1.61*	Metallurgical
Including:	*214*	*225*	11	*1.92*	Metallurgical
SAMT007	*197*	*208.14*	11.14	*1.39*	Metallurgical



Figure 4: Sectional view ('B- B') of Colina Deposit looking northwest with new drilling results showing the growth in the resource with developing stacked pegmatites developing at depth (New collars in bold).



Figure 5: Sectional view ('C- C') of Colina Deposit looking northwest with new drilling results showing the growth in the resource with developing stacked pegmatites developing at depth (New collars in bold).



Figure 6: Sectional view ('D- D') of Colina Deposit looking northwest with new drilling results from the extensional drilling program showing the developing stacked pegmatites system (New collars in bold).



Figure 7: Long Sectional view ('SW- NE') through the Colina Deposit, indicating recent drill intercepts (bold) with current Colina MRE block model.

FOG'S BLOCK TARGET

Fog's Block target is located approximately 12km southwest of the Company's **45.2Mt Colina MRE**[1] (**Figure 1**).

The Company has now completed a total of **13** holes for **4,575.7m** of drilling at Fog's Block (**Figure 8**).

Complete assay results have now been received for a further 3 holes (bringing the total to 9 assayed holes), with significant intercepts included in **Table 2** below.

The Company identifies Fog's Block as an important target in adding supporting resource tonnes to the Colina Deposit, improving the Global Resource and ultimately the Salinas Project economics.

The Company will continue to dedicate diamond drill resources to drilling the Fog's Block area where our mapping and other regional programs continue to identify new drilling targets. The Company will update the market on further assay results from completed holes once received.

For full collar and assay details from Fog's Block, refer to **Appendix B and D.**

Table 2: Significant drill intercepts from the Fog's Block target.

Hole ID	From (m)	To (m)	Interval (m)	Li_2O (%)
MCDD007	278.06	285	6.94	1.13
Including:	279	282	3	1.67
MCDD007	312.14	315.15	3.01	1.19
MCDD007	321.6	326.6	5	0.79
Including:	321.6	324.6	3	1.04
MCDD007	434.7	437.88	3.18	0.97
MCDD008	211.74	227.07	15.33	1.03
Including:	212.63	216	3.37	1.55
MCDD009	173.4	186	12.6	1.15
Including:	174.32	180	5.68	1.81
MCDD009	250.58	268.1	17.52	1.48
Including:	252.52	262	9.48	1.67



Figure 8: Fog's Block showing the completed, assayed and in progress holes.



Figure 9: Sectional view ('A- A') of Fog's Block looking northwest with new drilling results showing the developing stacked pegmatites system (New collars in bold).



Figure 10: Colina Deposit plan, showing location of the Colina Extensional, Infill and Fog's Block drilling programs.

Table 3: **Colina Mineral Resource Estimate[3] reported at 0.5% Li_2O cut-off grade separated by category.**

Deposit	Resource Category	Tonnes (Mt)	Grade (Li_2O %)	Li_2O (Kt)	Contained LCE (Kt)
Colina	Measured	0.43	1.34	5.8	14.3
	Indicated	29.74	1.37	408.1	1,009.3
	Measured + Indicated	*30.17*	*1.37*	*413.9*	*1,023.6*
	Inferred	15.02	1.22	183.5	453.7
Total		**45.19**	**1.32**	**597.4**	**1,477.3**

Ends

This Announcement has been authorised for release to ASX by the Board of Latin Resources

For further information please contact:

Chris Gale
Managing Director
Latin Resources Limited
+61 8 6117 4798
info@latinresources.com.au
www.latinresources.com.au

Fiona Marshall
Senior Communications Advisor
White Noise Communications
+61 400 512 109
fiona@whitenoisecomms.com

[3] Refer to LRS's ASX Announcement dated 20 June 2023, entitled "*241% Increase for the Colina Mineral Resource*".

About Latin Resources

Latin Resources Limited (ASX: LRS) is an Australian-based mineral exploration company, with projects in South America and Australia, that is developing mineral projects in commodities that progress global efforts towards Net Zero emissions.

The Company is focused on its flagship Salinas Lithium Project in the pro-mining district of Minas Gerais Brazil, where the Company has defined a total Mineral Resource Estimate at its Colina Lithium Deposit of 45.2Mt @ 1.32% Li_2O, reported above a cut-off of 0.5% Li_2O.*

The classification of this JORC MRE includes **30.2Mt @ 1.4% Li_2O of the total resource now sitting in the Measured + Indicated category** (*0.43Mt @ 1.34% Li_2O Measured + 29.7Mt @ 1.37% Li_2O Indicated) + 15.0Mt @ 1.22% Li_2O Inferred.*

*The Company recently defined a Preliminary Economic Assessment (PEA)** which contemplates a proposed 3.6Mtpa standalone mining and processing operation over two phases. where the economics show after-tax NPV8% of A$3.6 billion (US$2.5 billion) and combined after-tax IRR of 132%.*

Latin also holds the Catamarca Lithium Project in Argentina and through developing these assets, aims to become one of the key lithium players to feed the world's insatiable appetite for battery metals.

**For full details of the Colina Lithium Deposit MRE, please refer to ASX Announcement dated 20 June 2023.*

***For full details of the Colina Lithium Project PEA, please refer to ASX Announcement dated 28 September 2023.*

Competent Person Statement – Salinas Lithium Project

The information in this report that relates to Geological Data and Exploration Results for the Salinas Lithium Project is based on information compiled by Mr Anthony Greenaway, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Greenaway sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Greenaway consents to the inclusion in this report of the matters based on his information, and information presented to him, in the form and context in which it appears.

The information in this report that relates the Mineral Resource Estimate for the Salinas Lithium Project are based on the information compiled by Mr Marc-Antoine Laporte M.Sc., P.Geo, who is an employee of SGS Canada Ltd and a member of the L'Ordre des Géologues du Québec. He is a Senior Geologist for the SGS Geological Services Group and as more than 15 years of experience in industrial mineral, base and precious metals exploration as well as Mineral Resource evaluation and reporting. Mr Laporte sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to quality as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'.

Confirmation Statement – Colina Project Preliminary Economic Assessment

The production targets and forecast financial information disclosed in this Announcement is extracted from the Company's ASX announcement entitled "Robust Results for Colina Lithium Project Preliminary Economic Assessment (PEA)", dated 28 September 2023. The Company confirms all material assumptions underpinning the production targets and forecast financial information derived from the production targets in the initial announcement continue to apply and have not materially changed.

Forward-Looking Statement

This ASX announcement may include forward-looking statements. These forward-looking statements are not historical facts but rather are based on Latin Resources Ltd.'s current expectations, estimates and assumptions about the industry in which Latin Resources Ltd operates, and beliefs and assumptions regarding Latin Resources Ltd.'s future performance. Words such as "anticipates", "expects", "intends", "plans", "believes", "seeks", "estimates", "potential" and similar expressions are intended to identify forward-looking statements. Forward-looking statements are only predictions and are not guaranteed, and they are subject to known and unknown risks, uncertainties and assumptions, some of which are outside the control of Latin Resources Ltd. Past performance is not necessarily a guide to future performance and no representation or warranty is made as to the likelihood of achievement or reasonableness of any forward-looking statements or other forecast. Actual values, results or events may be materially different to those expressed or implied in this ASX announcement. Given these uncertainties, recipients are cautioned not to place reliance on forward looking statements. Any forward-looking statements in this announcement speak only at the date of issue of this announcement. Subject to any continuing obligations under applicable law and the ASX Listing Rules, Latin Resources Ltd does not undertake any obligation to update or revise any information or any of the forward-looking statements in this announcement or any changes in events, conditions or circumstances on which any such forward looking statement is based.

Exploration Announcements – Referenced

The information in this announcement that relates to previously reported results has been extracted from the following ASX announcements:

- *"241% Increase for the Colina Mineral Resource", 20 June 2023; and*
- *"Positive DMS Test Work Demonstrates Success at Pilot Plant Scale", 10 August 2023.*

- "*Robust Results for Colina Lithium Project Preliminary Economic Assessment (PEA)*", 28 September 2023.

These above-mentioned announcements are available on the Company's website.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the above market announcements, and that the form and context in which the Competent Persons findings are presented have not been materially modified from the original market announcement.

APPENDIX A: SALINAS LITHIUM PROJECT TENURE



APPENDIX B: COLINA DEPOSIT- DIAMOND DRILL COLLAR DETAILS

Hole ID	Easting (m)	Northing (m)	RL (m)	Azi (deg)	Dip (deg)	Depth (m)	Target	Hole Status	MRE Date
SADD001	807784.51	8214950.03	722.82	240	-84	120.68	Colina	Complete	Dec-22
SADD002	807787.78	8214951.92	722.58	60	-65	170.42	Colina	Complete	Dec-22
SADD003	807836.52	8214789.66	770.28	240	-65	157.25	Colina	Complete	Dec-22
SADD004	807902.59	8214821.74	766.12	240	-65	170	Colina	Complete	Dec-22
SADD005	807911.3	8214610.97	783.18	240	-80	201.6	Colina	Complete	Dec-22
SADD006	807844.29	8214447.66	812.99	240	-84	265.85	Colina	Complete	Dec-22
SADD007	808002.1	8215501.63	581.57	240	-80	173.92	Colina	Complete	Dec-22
SADD008	807954.35	8215455.51	584.82	230	-80	62.82	Colina	Complete	Dec-22
SADD009	807999.82	8215400.73	599.45	230	-80	59.77	Colina	Complete	Dec-22
SADD010	807920.52	8215565.69	563.69	230	-80	81.12	Colina	Complete	Dec-22
SADD011	807943.22	8215136.45	690.79	290	-84	26.22	Colina	Complete	Dec-22
SADD011A	807943.45	8215136.37	690.89	290	-80	160.42	Colina	Complete	Dec-22
SADD012	808001.3	8215153.98	688.79	230	-80	134.5	Colina	Complete	Dec-22
SADD013	808001.46	8215283.43	627.64	230	-65	131.45	Colina	Complete	Dec-22
SADD014	807804.92	8214497.39	800.19	320	-75	169.35	Colina	Complete	Dec-22
SADD015	807782.28	8214374.03	801.54	320	-65	216.3	Colina	Complete	Dec-22
SADD016	807900.35	8214705.83	772.65	240	-80	300.7	Colina	Complete	Dec-22
SADD017	807975.77	8214719.65	781.89	260	-70	229.05	Colina	Complete	Dec-22
SADD018	808012.04	8214821.09	778.37	260	-70	271.65	Colina	Complete	Dec-22
SADD019	808004.6	8214978.64	767.38	260	-70	275.6	Colina	Complete	Dec-22
SADD020	807881.89	8214963.58	738.93	260	-80	261.1	Colina	Complete	Dec-22
SADD021	807922.82	8214862.47	753.88	260	-69.54	267.6	Colina	Complete	Dec-22
SADD022	807881.82	8214694.57	769.77	260	-65	141.7	Colina	Complete	Dec-22
SADD023	807901.5	8214706.54	772.63	240	-80	133.05	Colina	Complete	Dec-22
SADD024	807841.85	8214292.45	827.69	260	-70	331.9	Colina	Complete	Dec-22
SADD025	807747.28	8214274.93	827.26	260	-70	283.95	Colina	Complete	Dec-22
SADD026	808106.56	8214739.36	789.37	260	-68	360.35	Colina	Complete	Dec-22
SADD027	807880.33	8214392.74	821.99	260	-70	325.9	Colina	Complete	Dec-22
SADD028	807766	8214376.75	796.9	260	-70	198.55	Colina	Complete	Dec-22
SADD029	807799.45	8214482.47	801.05	260	-70	233.6	Colina	Complete	Dec-22
SADD030	808052.97	8214881.61	784.48	257	-69	348.35	Colina	Complete	Dec-22
SADD031	807901.06	8214499.43	794.26	260	-70	321.9	Colina	Complete	Dec-22
SADD032	807830.47	8214588.11	770.51	260	-70	120	Colina	Complete	Dec-22
SADD033	807506.77	8214728.24	806.73	260	-70	429.2	Colina	Complete	Dec-22
SADD034	807831.26	8214588.2	770.44	260	-70	45	Colina	Complete	Dec-22
SADD035	807764.12	8214674.85	760.15	260	-80	126.95	Colina	Complete	Dec-22
SADD036	808113.96	8214834.78	779.5	260	-70	399.35	Colina	Complete	Dec-22
SADD037	807883.97	8215066.46	715.47	260	-75	255.15	Colina	Complete	Dec-22
SADD038	807823.35	8214845.64	759.23	260	-70	183.2	Colina	Complete	Dec-22
SADD039	808102.49	8214991.61	750.42	260	-70	306.4	Colina	Complete	Dec-22
SADD040	808010.69	8215085.82	731.88	260	-70	305.25	Colina	Complete	Dec-22
SADD041	807688.27	8215022.35	730.44	260	-70	100.7	Colina	Complete	Dec-22
SADD042	808052.03	8214620.57	791.61	260	-70	400.85	Colina	Complete	Dec-22
SADD043	807999.09	8214515.04	799.58	260	-70	351.4	Colina	Complete	Dec-22
SADD044	807704.29	8214820.94	760.3	260	-70	147.4	Colina	Complete	Dec-22
SADD045	808015.65	8215184.88	678.18	260	-70	300.75	Colina	Complete	Dec-22
SADD046	807975.65	8214415.54	819.25	260	-70	366.5	Colina	Complete	Dec-22
SADD047	807786.03	8214780.06	755.4	260	-68	104	Colina	Complete	Dec-22
SADD048	808076.24	8214427.01	804.68	260	-70	463.8	Colina	Complete	Dec-22
SADD049	807643.68	8214255.09	827.94	260	-80	132.45	Colina	Complete	Dec-22
SADD050	807914.53	8215168.78	672.24	260	-68	210.35	Colina	Complete	Dec-22
SADD051	808041.47	8214324.2	821.31	260	-54	435.1	Colina	Complete	Dec-22
SADD052	807668.17	8214357.01	797.38	260	-70	450.4	Colina	Complete	Dec-22
SADD053	807690.88	8214462.62	782.31	260	-75	321.3	Colina	Complete	Dec-22
SADD054	808097.82	8214534.02	774.25	260	-70	451.9	Colina	Complete	Dec-22
SADD055	807730.09	8214568.17	769.58	260	-65	499.1	Colina	Complete	Dec-22
SADD056	807889.48	8213891.18	832.94	260	-60	432.2	Colina	Complete	Dec-22
SADD057	807946.3	8214803.64	760.9	260	-74	270.4	Colina	Complete	Dec-22
SADD058	807658.54	8213556.51	834.43	260	-60	448.7	Colina	Complete	Dec-22
SADD059	807868.86	8214855.95	765.78	260	-74	265.85	Colina	Complete	Dec-22
SADD060	807612.1	8214754.97	789.68	260	-72	460.9	Colina	Complete	Dec-22
SADD061	807989.27	8214873.2	767.41	262	-70	280.7	Colina	Complete	Dec-22

SADD062	807795.91	8214280.46	828.09	260	-73	281.35	Colina	Complete	Dec-22
SADD063	807421.09	8214713.01	786.42	260	-66	450.2	Colina	Complete	Dec-22
SADD064	807816.9	8214083.13	831.3	260	-60	450.1	Colina	Complete	Dec-22
SADD065	807223.19	8214678.29	752.1	260	-72	450.3	Colina	Complete	Dec-22
SADD066	807691.1	8214264.77	827.26	260	-77	270.7	Colina	Complete	Jun-23
SADD067	807823.89	8214845.65	759.23	260	-50	22.25	Colina	Complete	Jun-23
SADD068	807894.94	8214297.3	827.82	260	-71	270.1	Colina	Complete	Jun-23
SADD069	807595.9	8214245.28	828.09	260	-70	450.4	Colina	Complete	Jun-23
SADD070	807614.59	8214348.47	815.58	260	-62	454.7	Colina	Complete	Jun-23
SADD071	807717.8	8214366.77	794.16	260	-72	268.85	Colina	Complete	Jun-23
SADD072	807613.98	8214652.55	790.98	260	-70	454.75	Colina	Complete	Jun-23
SADD073	807617.89	8214857.02	783.15	260	-70	450.4	Colina	Complete	Jun-23
SADD074	808108.56	8214997.5	749.15	260	-84	450.35	Colina	Complete	Jun-23
SADD075	808099.04	8214897.54	772.11	260	-79	450.4	Colina	Complete	Jun-23
SADD076	807516.68	8214630.87	802.84	260	-70	448.9	Colina	Complete	Jun-23
SADD077	807615.69	8214546.12	794.4	260	-67	449.9	Colina	Complete	Jun-23
SADD078	807614.98	8214446.36	800.5	260	-70	450.4	Colina	Complete	Jun-23
SADD079	807517.52	8214841.28	797.6	260	-70	448.8	Colina	Complete	Jun-23
SADD080	807443.97	8214218.96	826.75	260	-70	459.35	Colina	Complete	Jun-23
SADD081	807420.14	8214314.78	804.43	260	-62	459.3	Colina	Complete	Jun-23
SADD082	808094.7	8215100.55	719.73	260	-72	450.35	Colina	Complete	Jun-23
SADD083	807416.02	8214624.38	775	260	-65	450.15	Colina	Complete	Jun-23
SADD084	807518.106	8214530.094	797.87	260	-65	451.55	Colina	Complete	Jun-23
SADD085	807422.406	8214821.055	797.27	260	-68	450.4	Colina	Complete	Jun-23
SADD086	807518.196	8214429.9	803.61	260	-68	451.65	Colina	Complete	Jun-23
SADD087	807353.368	8214201.176	824.58	260	-70	465.4	Colina	Complete	Jun-23
SADD088	807518.094	8214330.269	818.12	260	-62	450.2	Colina	Complete	Jun-23
SADD089	807321.024	8214297.264	795.83	260	-64	448.85	Colina	Complete	Jun-23
SADD090	807318.357	8214593.277	752.99	260	-62	364.8	Colina	Complete	Jun-23
SADD091	807420.466	8214507.991	772.65	260	-60	334.9	Colina	Complete	Jun-23
SADD092	807294.819	8214385.411	783.45	260	-65	385.9	Colina	Complete	Jun-23
SADD093	807416.104	8214411.8	790.63	260	-65	354.8	Colina	Complete	Jun-23
SADD094	807237.399	8214181.916	823.44	260	-72	298.8	Colina	Complete	Jun-23
SADD095	807134.48	8214165.09	822.42	260	-71	351.4	Colina	Complete	Jun-23
SADD096	807216.45	8214278.29	809.85	260	-65	322.8	Colina	Complete	Jun-23
SADD097	807908.99	8214765.27	768.89	260	-70	150.4	Colina	Complete	Jun-23
SADD098	807080.26	8214347.22	792.63	260	-66	304.85	Colina	Complete	Jun-23
SADD099	807097.99	8214258.93	806.69	260	-65	300.3	Colina	Complete	Jun-23
SADD100	807292.06	8214489.87	765.48	260	-61	316.75	Colina	Complete	Jun-23
SADD101	807034.05	8214144.62	821.99	260	-71	309.3	Colina	Complete	Jun-23
SADD102	807320.71	8214812.63	775.52	260	-65	256.7	Colina	Complete	Jun-23
SADD103	807825.14	8214716.05	763.69	260	-70	114.4	Colina	Complete	Jun-23
SADD104	807192.56	8214574.09	777.19	260	-66	309.4	Colina	Complete	Jun-23
SADD105	807188.31	8214373.72	790.73	260	-65	316.8	Colina	Complete	Jun-23
SADD106	806995.71	8214241.98	816.55	260	-65	324.3	Colina	Complete	Jun-23
SADD107	807861.18	8214644.33	763.91	260	-70	457.9	Colina	Complete	Jun-23
SADD108	807170.06	8214469.62	776.08	260	-66	300.2	Colina	Complete	Jun-23
SADD109	806925.58	8214133.02	822.66	260	-70	229.7	Colina	Complete	Jun-23
SADD110	807242.78	8214804.45	759.25	250	-58	237.3	Colina	Complete	Jun-23
SADD111	807075.96	8214562.03	766.32	260	-66	241.7	Colina	Complete	Jun-23
SADD112	806976.73	8214340.54	800.93	260	-64	313.82	Colina	Complete	Jun-23
SADD113	806825.09	8214114.86	818.9	260	-70	45.35	Colina	Complete	Jun-23
SADD114	806880.02	8214216.37	815.59	260	-67	231.11	Colina	Complete	Jun-23
SADD115	807058.89	8214450.86	784.69	260	-69	280.78	Colina	Complete	Jun-23
SADD116	807853.2	8214910.54	752.79	260	-72	237.41	Colina	Complete	Jun-23
SADD117	806952.51	8214431.89	783.97	260	-69	249.45	Colina	Complete	Jun-23
SADD118	807123.87	8214660.96	767.46	260	-72	223.83	Colina	Complete	Jun-23
SADD119	807922.91	8214922.7	744.92	260	-70	235.8	Colina	Complete	Jun-23
SADD120	806777.63	8214204.87	810.21	260	-65	280.7	Colina	Complete	Jun-23
SADD121	806874.05	8214320.37	793.36	260	-66	282.42	Colina	Complete	Jun-23
SADD122	806825.53	8214114.96	818.8	260	-70	86.8	Colina	Complete	Jun-23
SADD123	806767.19	8214297.06	797.19	260	-66	301.7	Colina	Complete	Jun-23
SADD124	806710.69	8214099.51	786.2	260	-70	171.25	Colina	Complete	Jun-23
SADD125	807986.23	8214930.23	766.41	260	-70	261.15	Colina	Complete	Jun-23
SADD126	806654.05	8214180.67	777.51	260	-65	180.15	Colina	Complete	Jun-23
SADD127	807935.33	8215029.4	737.12	260	-65	251.93	Colina	Complete	Jun-23
SADD128	806597.75	8214072.14	780.43	260	-75	169.8	Colina	Complete	Jun-23

SADD129	806549.77	8214167.18	771.9	255	-65	130.6	Colina	Complete	Jun-23
SADD130	806639.41	8214280.54	777.98	260	-69	181.85	Colina	Complete	Jun-23
SADD131	806525.75	8214265.86	757.27	260	-70	141.4	Colina	Complete	Jun-23
SADD132	806537.43	8213552.76	823.29	260	-65	658.34	Colina	Complete	Jun-23
SADD133	806826.32	8214115	818.86	260	-70	201.28	Colina	Complete	Jun-23
SADD134	808067.03	8215049.57	745.38	260	-65	317.08	Colina	Complete	Jun-23
SADD135	806539.68	8214062.84	774.45	260	-55	109.85	Colina SW	Complete	Jun-23
SADD136	806597.25	8213771.66	816.57	260	-65	601.58	Colina SW	Complete	Dec- 23
SADD137	806733.02	8213587.31	825.38	260	-65	608.74	Colina SW	Complete	Dec- 23
SADD138	806797.27	8213801.83	822.49	260	-65	123.13	Colina SW	Abandoned	Dec- 23
SADD139	807823.33	8214386.11	817.66	260	-71	450.2	Colina Infill	Complete	Dec- 23
SADD140	807926.15	8214406.13	821.7	260	-71	300.54	Colina Infill	Complete	Dec- 23
SADD141	806582.87	8213966.6	783.23	260	-70	271.85	Colina SW	Complete	Dec- 23
SADD142	806796.26	8213801.71	822.53	260	-65	381.4	Colina SW	Complete	Dec- 23
SADD143	808017.17	8214422.83	812.08	260	-70	369.34	Colina Infill	Complete	Dec- 23
SADD144	807859.84	8214493.14	791.79	260	-69	450.32	Colina Infill	Complete	Dec- 23
SADD145	805876.01	8213844.2	813.95	260	-65	450.32	Colina SW	Complete	Dec- 23
SADD146	806142.47	8213482.89	823.59	260	-65	450.58	Colina SW	Complete	Dec- 23
SADD147	807946.41	8214972.87	758.58	260	-73	282.35	Colina Infill	Complete	Dec- 23
SADD148	808068.43	8214828.78	789.4	260	-70	370.85	Colina Infill	Complete	Dec- 23
SADD149	808047.38	8214725	794.33	260	-68	370.68	Colina Infill	Complete	Dec- 23
SADD150	806404.06	8213732.31	816.24	260	-65	459.32	Colina SW	Complete	Dec- 23
SADD151	806880.53	8214019.16	822.17	260	-70	403.87	Colina SW	Complete	Dec- 23
SADD152	806994.08	8213836.41	827.13	260	-65	450.41	Colina SW	Complete	Dec- 23
SADD153	808055.97	8214997.36	759.51	250	-70	300.49	Colina Infill	Complete	Dec- 23
SADD154	807991.21	8214611.12	799.89	260	-74	336.56	Colina Infill	Complete	Dec- 23
SADD155	807880.2	8214596.16	772.62	260	-73	165.45	Colina Infill	Complete	Dec- 23
SADD156	807821.33	8214685.66	754.57	260	-70	102.32	Colina Infill	Complete	Dec- 23
SADD157	807077.3	8214053.9	824.89	260	-70	450.16	Colina SW	Complete	Dec- 23
SADD158	807690.38	8214664.6	769.38	260	-72	523.88	Colina Infill (deep)	Complete	Dec- 23
SADD159	807749.25	8214833.36	745.54	260	-70	201.32	Colina Infill	Complete	Dec- 23
SADD160	806337.86	8213520.65	823.3	260	-65	517.78	Colina SW	Complete	Dec- 23
SADD161	807274.33	8214088.53	827.97	260	-70	451.6	Colina SW	Complete	Dec- 23
SADD162	806978.95	8214036.51	823.47	260	-70	454.97	Colina SW	Complete	Dec- 23
SADD163	806637.92	8213867.41	812.07	260	-70	271.85	Colina SW	Complete	Dec- 23
SADD164	807192.27	8213871.3	829.73	260	-65	450.13	Colina SW	Complete	Dec- 23
SADD165	804974.24	8211477.95	815.26	265	-55	500.75	Colina Infill	Complete	Dec- 23
SADD166	807175.78	8214071.3	826.61	260	-71	459.37	Colina SW	Complete	Dec- 23
SADD167	806743.7	8213891.78	818.25	260	-71	450.26	Colina SW	Complete	Dec- 23
SADD168	807375.81	8214109.97	828.96	260	-72	450.38	Colina SW	Complete	Dec- 23
SADD169	806844	8213909.96	822.49	260	-70	466.77	Colina SW	Complete	Dec- 23
SADD170	807707.5	8214768.37	758.89	260	-70	522.38	Colina Infill (deep)	Complete	Dec- 23
SADD171	807093.66	8213857.54	828.59	258	-65	450.26	Colina Infill	Complete	Dec- 23
SADD172	804177.74	8211400.95	798.23	265	-55	450.1	Colina Infill	Complete	Dec- 23
SADD173	807471.71	8214123.3	829.45	260	-70	429.34	Colina SW	Complete	Dec- 23
SADD174	806681.48	8213982.07	792.89	260	-70	271.77	Colina SW	Complete	Dec- 23
SADD175	806945.27	8213927.62	824.37	260	-70	450.17	Colina SW	Complete	Dec- 23
SADD176	807041.62	8213944.68	825.96	260	-71	453.25	Colina SW	Complete	Dec- 23
SADD177	806777.89	8214001.55	805.69	260	-70	391.63	Colina SW	Complete	Dec- 23
SADD178	807756.81	8214716.45	745.98	260	-72	508.9	Colina Infill	Complete	Dec- 23
SADD179	806890.19	8213817.56	824.74	260	-65	360.27	Colina SW	Complete	Dec- 23
SADD180	807127.94	8213958.06	827.21	260	-75	440.36	Colina SW	Complete	Dec- 23
SADD181	808115.29	8215098.65	718.8	260	-84	320.05	Colina Infill	Complete	Dec- 23
SADD182	807444.13	8214015.88	830.77	260	-75	400.86	Colina SW	Complete	Dec- 23
SADD183	806699.43	8213784.5	819.31	260	-65	345.16	Colina SW	Complete	Dec- 23
SADD184	807950.48	8214753.78	771.98	260	-75	600.32	Colina Infill (deep)	Complete	Dec- 23
SADD185	807705.24	8214880.01	759.18	260	-73	504.47	Colina Infill (deep)	Complete	Dec- 23
SADD186	807241.59	8213979.83	828.54	260	-72	358.73	Colina SW	Complete	Dec- 23
SADD187	807966.34	8214671.96	788.28	253	-69	550.36	Colina Infill	Complete	Dec- 23
SADD188	808113.81	8214735.45	789.86	260	-81	450.37	Colina Infill	Complete	Dec- 23
SADD189	808116.03	8215206.05	696.51	260	-75	399.28	Colina Infill	Complete	Dec- 23
SADD190	806956.12	8213728.11	827.8	260	-68	351.24	Colina SW	Complete	Dec- 23
SADD191	807341.39	8213997.82	830.04	260	-73	400.86	Colina SW	Complete	Dec- 23
SADD192	807056.4	8213747.28	829.36	260	-65	360.28	Colina SW	Complete	Dec- 23
SADD193	806856.7	8213710.7	825.81	260	-65	310.81	Colina SW	Complete	Dec- 23
SADD194	807842.27	8214819.59	769.7	258	-67	550.68	Colina Infill	Complete	Dec- 23
SADD195	807867.8	8214757.68	767.71	255	-69	550.91	Colina Infill (deep)	Complete	Dec- 23

SADD196	808114.9	8214834.94	779.3	260	-84	450.41	Colina Infill	Complete	Dec- 23
SADD197	808066.42	8215501.78	588.65	260	-70	451.71	Colina Infill	Complete	Dec- 23
SADD198	806752.31	8213693.16	823.27	260	-65	300.18	Colina SW	Complete	Dec- 23
SADD199	808048.73	8215188.04	685.98	260	-78	261.30	Colina Infill	Complete	-
SADD200	808084.95	8214891.02	777.56	260	-72	450.45	Colina Infill (deep)	Complete	-
SADD201	808072.97	8214678.76	792.91	260	-70	370.23	Colina Infill	Complete	-
SADD202	808109.77	8214996.69	749.10	260	-78	340.85	Colina Infill	Complete	-
SADD203	802901.08	8213433.02	795.64	260	-55	199.70	Colina Infill	Complete	-
SADD204	807819.55	8214894.24	756.19	260	-65	250.70	Colina Infill	Complete	-
SADD205	807939.36	8215074.47	716.90	260	-75	205.78	Colina Infill	Complete	
SADD206	808090.60	8214942.20	762.70	260	-72	52.5	Colina Infill	Complete	-
SADD207	803447.44	8213628.86	798.25	260	-55	46.25	Colina Scout	Complete	-
SADD208	803149.12	8212642.70	787.17	260	-55	144.14	Colina Infill	Complete	-
SADD209	808016.36	8214667.21	795.24	260	-70	60.36	Colina Infill	Complete	-
SADD210	807864.96	8215001.02	725.13	260	-63	126.28	Colina Infill	Complete	-
SADD211	807774.04	8214520.03	790.20	260	-70	29.35	Colina Infill	Complete	-
SADD212	807960.49	8215178.45	664.09	260	-68	20.8	Colina Infill	Complete	-
SADD213	807917.97	8214651.51	781.19	260	-69	430	Colina Infill	Complete	-
SADD214	808059.57	8215093.09	732.05	260	-70	190.94	Colina Infill	Complete	-
SADD215	802592.83	8211781.04	804.22	260	-55	130.57	Colina Scout	Complete	-
SADD216	809543.01	8213398.74	837.31	260	-55	70.24	Colina Scout	Complete	-
SADD217	808023.82	8214930.10	776.44	260	-75	69.71	Colina Infill	Complete	-
SADD218	808111.07	8215049.50	733.32	260	-65	24	Colina Infill	Complete	-
SADD219	807910.22	8215013.84	743.03	260	-65	172.81	Colina Infill	Complete	-
SADD220	807873.59	8215113.40	690.05	260	-70	100.91	Colina Infill	Complete	-
SADD221	808065.12	8214777.29	795.21	260	70	62.23	Colina Infill	Complete	-
SADD222	808028.83	8215116.71	721.14	275	70	270	Colina Infill	Complete	-
SADD223	805745.44	8212357.82	824.18	260	-55	450	Colina Scout	In progress	-
SADD224	807652.08	8214706.28	781.33	260	-68	226.82	Colina Infill	Complete	-
SADD225	807570.32	8214541.37	806.24	260	-67	142.43	Colina Infill	Complete	-
SADD226	807965.89	8215022.00	747.16	260	-65	112.69	Colina Infill	Complete	-
SADD227	808016.80	8215031.11	756.23	260	-65	120.34	Colina Infill	Complete	-
SADD228	808643.16	8213411.95	840.12	310	-55	106.5	Colina Infill	Complete	-
SADD229	807923.88	8215126.64	688.43	260	-70	42.23	Colina Infill	Complete	-
SADD230	807571.46	8214438.47	812.25	260	-70	125.44	Colina Infill	In progress	-
SADD231	808061.53	8215144.85	710.12	260	-73	154.93	Colina Infill	In progress	-
SADD232	807612.25	8214701.58	791.40	260	-68	60.6	Colina Infill	In progress	-
SADD233	807589.43	8214595.28	799.53	265	-63	104.85	Colina Infill	In progress	-
SADD234	807572.74	8214338.96	821.42	260	-61	231	Colina Infill	In progress	-
SADD235	807570.52	8214495.73	806.86	259	-66	186	Colina Infill	In progress	-
SADD236	808013.93	8214766.37	782.04	260	70	171	Colina Infill	In progress	-
SADD237	807972.50	8215109.38	711.81	275	-70	150	Colina Infill	In progress	-
SADD238	807582.33	8214385.39	816.64	263	-59	96	Colina Infill	In progress	-
SADD239	807690.67	8214611.59	765.07	260	-72	113	Colina Infill	In progress	-
SAMT001	808109.92	8214737.93	789.94	259	-66	366.46	Metallurgical	Complete	-
SAMT002	808067.48	8215041.54	748.31	261	-65	279.51	Metallurgical	Complete	-
SAMT003	807894.79	8214818.2	766.55	240	-67	156.77	Metallurgical	Complete	-
SAMT004	807901.33	8214514.05	788.22	250	-64	319.95	Metallurgical	Complete	-
SAMT005	808006.44	8214975.32	767.75	260	-69	260.31	Metallurgical	Complete	-
SAMT006	808050.7	8214878.14	784.58	253	-67	249.87	Metallurgical	Complete	-
SAMT007	807852.8	8214276.09	828.51	275	-69	219.9	Metallurgical	Complete	-
MCDD001	799743.66	8207261.18	589.79	210	-50	351.25	Fog's Block	Complete	-
MCDD002	799810.34	8207372.32	591.94	210	-50	450.29	Fog's Block	Complete	-
MCDD003	799372.15	8207638.17	615.37	210	-50	450.14	Fog's Block	Complete	-
MCDD004	799920.54	8207203.67	629.56	210	-50	444.23	Fog's Block	Complete	-
MCDD005	799974.58	8207097.28	629.93	210	-50	349.64	Fog's Block	Complete	-
MCDD006	799681.90	8207347.75	584.66	210	-50	349.54	Fog's Block	Complete	-
MCDD007	799748.91	8207474.38	614.60	210	-50	482.59	Fog's Block	Complete	-
MCDD008	799888.83	8207322.52	600.88	210	-50	430.66	Fog's Block	Complete	-
MCDD009	800010.77	8207171.81	607.52	210	-58	400.81	Fog's Block	Complete	-
MCDD010	801682.42	8206209.60	709.72	250	-50	357.05	Fog's Block	Complete	-
MCDD011	801804.22	8206266.68	720.29	250	-50	250	Fog's Block	Complete	-
MCDD012	801743.34	8206459.77	683.92	270	-50	49.4	Fog's Block East	Complete	-
MCDD013	802185.73	8207155.24	0.00	120	-50	210.1	Fog's Block East	Complete	-
MCDD014	801749.91	8207469.64	625.45	255	-50	147.1	Fog's Block East	In progress	-

APPENDIX C: COLINA DEPOSIT AND FOG'S BLOCK SIGNIFICANT INTERSECTIONS

Hole ID	From (m)	To (m)	Interval (m)	Li_2O (%)	Target	New Results
SADD001 - 135	*Refer to LRS announcement dated 7 June 2023*				Colina	No
SADD136	179.55	181.39	1.84	1.10	Colina SW	No
SADD136	457.91	465.35	7.44	1.31	Colina SW	No
Including:	459.00	464.00	5.00	1.63	Colina SW	No
And:	459.00	462.00	3.00	1.93	Colina SW	No
SADD136	487.62	489.33	1.71	0.76	Colina SW	No
SADD137	483.60	489.02	5.42	1.16	Colina SW	No
Including:	483.60	487.27	3.67	1.51	Colina SW	No
SADD137	511.00	511.79	0.79	0.51	Colina SW	No
SADD137	547.72	554.58	6.86	1.38	Colina SW	No
Including:	547.72	552.70	4.98	1.56	Colina SW	No
SADD137	593.82	597.84	4.02	1.75	Colina SW	No
Including:	593.82	596.80	2.98	1.94	Colina SW	No
SADD138	*No significant results*				Colina SW	No
SADD139	134.00	144.00	10.00	1.02	Colina Infill	No
Including:	134.00	141.00	7.00	1.33	Colina Infill	No
And:	135.00	141.00	6.00	1.44	Colina Infill	No
SADD139	153.19	155.01	1.82	0.76	Colina Infill	No
SADD139	312.20	317.09	4.89	1.46	Colina Infill	No
Including:	312.20	316.00	3.80	1.77	Colina Infill	No
SADD139	328.91	338.85	9.94	1.50	Colina Infill	No
Including:	329.90	338.00	8.10	1.69	Colina Infill	No
SADD140	268.77	274.69	5.92	0.79	Colina Infill	No
Including:	267.77	270.73	2.96	1.51	Colina Infill	No
SADD141	*No significant results*				Colina SW	No
SADD142	109.00	110.00	1.00	0.94	Colina SW	No
SADD142	113.00	114.10	1.10	0.56	Colina SW	No
SADD142	135.42	136.41	0.99	1.21	Colina SW	No
SADD142	149.64	152.40	2.76	0.91	Colina SW	No
Including:	150.64	152.40	1.76	1.05	Colina SW	No
SADD142	258.72	262.31	3.59	1.12	Colina SW	No
Including:	260.50	262.31	1.81	1.55	Colina SW	No
SADD143	*No significant results*				Colina Infill	No
SADD144	118.00	123.00	5.00	1.51	Colina Infill	No
SADD144	189.22	191.00	1.78	0.65	Colina Infill	No
SADD144	244.00	244.70	0.70	0.70	Colina Infill	No
SADD144	286.03	306.00	19.97	0.88	Colina Infill	No
Including:	286.03	286.92	0.89	1.05	Colina Infill	No
And:	289.00	290.00	1.00	1.91	Colina Infill	No
And:	291.33	295.00	3.67	1.22	Colina Infill	No
And:	300.00	302.00	2.00	1.44	Colina Infill	No
And:	296.00	302.00	6.00	1.00	Colina Infill	No
And:	304.00	306.00	2.00	1.34	Colina Infill	No
And:	303.00	306.00	3.00	1.07	Colina Infill	No
SADD145	*No significant results*				Colina SW	No
SADD146	*No significant results*				Colina SW	No
SADD147	97.52	98.62	1.10	0.92	Colina Infill	No
SADD147	128.00	130.00	2.00	0.57	Colina Infill	No
SADD147	149.82	151.60	1.78	1.22	Colina Infill	No
SADD147	157.00	157.88	0.88	0.91	Colina Infill	No
SADD147	186.00	190.00	4.00	1.91	Colina Infill	No
SADD147	229.80	238.00	8.20	1.53	Colina Infill	No
Including:	233.00	238.00	5.00	1.72	Colina Infill	No
SADD148	160.04	170.50	10.46	1.29	Colina Infill	No
Including:	161.00	167.00	6.00	1.65	Colina Infill	No
SADD148	245.60	250.66	5.06	0.59	Colina Infill	No

Including:	245.60	247.17	1.57	1.27	Colina Infill	No
SADD149	239.00	241.00	2.00	1.20	Colina Infill	No
SADD149	244.88	263.00	18.12	1.67	Colina Infill	No
Including:	249.00	260.00	11.00	2.18	Colina Infill	No
SADD150	379.02	381.00	1.98	1.16	Colina SW	No
SADD151	119.10	122.28	3.18	1.23	Colina SW	No
SADD151	148.61	153.61	5.00	1.05	Colina SW	No
SADD151	267.29	269.35	2.06	0.97	Colina SW	No
SADD152	145.00	147.00	2.00	1.18	Colina SW	No
SADD152	149.00	150.00	1.00	1.61	Colina SW	No
SADD152	223.93	228.12	4.19	1.17	Colina SW	No
SADD152	249.69	251.05	1.36	0.57	Colina SW	No
SADD152	256.14	259.54	3.40	1.04	Colina SW	No
SADD152	261.34	262.05	0.71	0.63	Colina SW	No
SADD153	130.58	136.27	5.69	1.27	Colina Infill	No
Including:	131.40	133.00	1.60	2.53	Colina Infill	No
SADD153	171.13	179.00	7.87	1.51	Colina Infill	No
Including:	171.13	174.00	2.87	1.74	Colina Infill	No
SADD153	241.30	262.98	21.68	1.30	Colina Infill	No
Including:	243.00	251.00	8.00	1.68	Colina Infill	No
And:	246.00	251.00	5.00	1.89	Colina Infill	No
SADD154	226.60	227.60	1.00	0.79	Colina Infill	No
SADD154	293.00	312.00	19.00	1.73	Colina Infill	No
Including:	293.00	300.00	7.00	1.81	Colina Infill	No
And:	301.00	303.00	2.00	2.27	Colina Infill	No
And:	304.00	311.00	7.00	1.97	Colina Infill	No
SADD155	76.26	88.00	11.74	1.40	Colina Infill	No
Including:	78.00	85.20	7.20	1.89	Colina Infill	No
SADD155	110.90	113.14	2.24	1.14	Colina Infill	No
SADD156	49.62	59.75	10.13	1.63	Colina Infill	No
SADD156	55.00	59.75	4.75	1.99	Colina Infill	No
Including:	171.13	174.00	2.87	1.74	Colina Infill	No
SADD157	157.56	172.29	14.73	1.48	Colina SW	No
Including:	157.56	166.56	9.00	1.67	Colina SW	No
SADD157	261.00	263.31	2.31	0.95	Colina SW	No
SADD157	323.00	323.80	0.80	1.74	Colina SW	No
SADD157	370.58	373.70	3.12	0.99	Colina SW	No
SADD157	417.00	420.50	3.50	1.81	Colina SW	No
SADD158	152.57	155.00	2.43	1.62	Colina Infill (deep)	Yes
SADD158	197.80	198.86	1.06	0.73	Colina Infill (deep)	Yes
SADD158	206.09	221.79	15.70	1.59	Colina Infill (deep)	Yes
Including:	211.00	218.00	7.00	1.86	Colina Infill (deep)	Yes
SADD158	247.98	254.80	6.82	1.39	Colina Infill (deep)	Yes
Including:	251.00	254.00	3.00	1.94	Colina Infill (deep)	Yes
SADD158	260.02	260.34	0.32	1.27	Colina Infill (deep)	Yes
SADD158	270.40	271.52	1.12	0.70	Colina Infill (deep)	Yes
SADD158	314.87	324.00	9.13	1.61	Colina Infill (deep)	Yes
Including:	314.87	320.00	5.13	1.98	Colina Infill (deep)	Yes
SADD158	335.45	356.19	20.74	1.42	Colina Infill (deep)	Yes
Including:	336.41	341.41	5.00	2.21	Colina Infill (deep)	Yes
And:	351.46	355.30	3.84	1.46	Colina Infill (deep)	Yes
SADD158	363.54	366.67	3.13	1.62	Colina Infill (deep)	Yes
SADD158	400.28	401.15	0.87	0.48	Colina Infill (deep)	Yes
SADD158	405.15	410.10	4.95	1.59	Colina Infill (deep)	Yes
Including:	405.15	408.00	2.85	2.21	Colina Infill (deep)	Yes
SADD158	413.65	418.94	5.29	1.24	Colina Infill (deep)	Yes
Including:	413.65	414.51	0.86	1.18	Colina Infill (deep)	Yes
And:	416.29	418.94	2.65	2.01	Colina Infill (deep)	Yes
SADD158	492.00	493.00	1.00	1.54	Colina Infill (deep)	Yes
SADD158	421.00	421.97	0.97	0.68	Colina Infill (deep)	Yes

SADD158	448.54	449.14	0.60	1.37	Colina Infill (deep)	Yes
SADD158	449.94	452.13	2.19	1.45	Colina Infill (deep)	Yes
SADD159	19.80	21.00	1.20	1.07	Colina Infill	No
SADD159	70.28	78.00	7.72	1.34	Colina Infill	No
Including:	73.00	77.00	4.00	1.65	Colina Infill	No
SADD159	180.24	181.32	1.08	0.59	Colina Infill	No
SADD160	323.44	326.00	2.56	1.57	Colina SW	No
SADD160	358.10	360.00	1.90	0.54	Colina SW	No
SADD160	387.03	388.05	1.02	0.82	Colina SW	No
SADD160	491.80	497.16	5.36	1.31	Colina SW	No
Including:	491.80	494.00	2.20	1.41	Colina SW	No
SADD161	131.26	134.26	3.00	1.61	Colina SW	No
SADD161	221.32	229.77	8.45	0.99	Colina SW	No
Including:	221.32	224.00	2.68	1.07	Colina SW	No
And:	226.00	229.00	3.00	1.27	Colina SW	No
SADD161	240.98	246.30	5.32	1.11	Colina SW	No
Including:	243.00	245.15	2.15	1.71	Colina SW	No
SADD162	146.36	152.00	5.64	1.46	Colina SW	No
Including:	148.20	152.00	3.80	1.90	Colina SW	No
SADD162	188.38	193.18	4.80	0.96	Colina SW	No
SADD162	213.47	214.50	1.03	0.83	Colina SW	No
SADD162	296.89	298.21	1.32	1.11	Colina SW	No
SADD162	369.89	374.16	4.27	1.44	Colina SW	No
SADD163	*No significant results*				Colina SW	No
SADD164	322.00	326.00	4.00	0.83	Colina SW	No
Including:	322.00	324.00	2.00	1.21	Colina SW	No
SADD165	369.72	374.31	4.59	1.26	Colina Infill	Yes
SADD166	194.16	198.80	4.64	1.27	Colina SW	No
Including:	196.00	198.00	2.00	1.61	Colina SW	No
SADD166	204.54	218.34	13.80	1.69	Colina SW	No
Including:	210.40	215.30	4.90	1.96	Colina SW	No
SADD166	249.75	250.87	1.12	0.55	Colina SW	No
SADD166	296.90	297.66	0.76	0.58	Colina SW	No
SADD166	340.38	342.38	2.00	2.02	Colina SW	No
SADD166	448.47	450.05	1.58	0.53	Colina SW	No
SADD167	385.36	386.00	0.64	1.03	Colina SW	No
SADD168	158.59	161.44	2.85	1.65	Colina SW	No
SADD168	242.00	250.75	8.75	1.84	Colina SW	No
Including:	242.00	245.00	3.00	2.45	Colina SW	No
SADD169	107.16	113.00	5.84	0.94	Colina SW	No
Including:	107.16	110.16	3.00	1.25	Colina SW	No
SADD169	131.18	133.30	2.12	1.41	Colina SW	No
SADD169	156.64	157.62	0.98	0.81	Colina SW	No
SADD169	182.28	184.96	2.68	1.63	Colina SW	No
SADD169	213.75	216.03	2.28	1.04	Colina SW	No
SADD169	323.74	327.00	3.26	0.95	Colina SW	No
SADD169	448.11	449.00	0.89	0.68	Colina SW	No
SADD170	57.13	64.84	7.71	1.42	Colina Infill (deep)	Yes
Including:	58.03	62.00	3.97	1.80	Colina Infill (deep)	Yes
SADD170	181.05	182.74	1.69	0.67	Colina Infill (deep)	Yes
SADD170	195.20	197.22	2.02	1.06	Colina Infill (deep)	Yes
SADD170	218.97	221.14	2.17	0.56	Colina Infill (deep)	Yes
SADD170	231.78	234.13	2.35	1.23	Colina Infill (deep)	Yes
SADD170	236.76	240.10	3.34	1.32	Colina Infill (deep)	Yes
SADD170	263.30	265.30	2.00	2.03	Colina Infill (deep)	Yes
SADD170	271.90	273.27	1.37	1.56	Colina Infill (deep)	Yes
SADD170	290.06	294.65	4.59	1.46	Colina Infill (deep)	Yes
SADD170	305.54	309.10	3.56	1.55	Colina Infill (deep)	Yes
SADD170	350.53	368.07	17.54	1.42	Colina Infill (deep)	Yes
Including:	351.40	355.00	3.60	1.94	Colina Infill (deep)	Yes

And:	360.00	365.00	5.00	2.03	Colina Infill (deep)	Yes
SADD170	376.01	376.77	0.76	0.79	Colina Infill (deep)	Yes
SADD170	402.74	407.66	4.92	1.50	Colina Infill (deep)	Yes
SADD170	423.00	426.63	3.63	2.23	Colina Infill (deep)	Yes
Including:	423.00	425.00	2.00	3.16	Colina Infill (deep)	Yes
SADD170	439.96	440.43	0.47	1.01	Colina Infill (deep)	Yes
SADD171	179.00	183.75	4.75	1.03	Colina Infill	No
Including:	179.00	182.00	3.00	1.36	Colina Infill	No
SADD172	230.70	231.21	0.51	1.07	Colina Infill	Yes
SADD173	304.32	305.28	0.96	0.75	Colina SW	Yes
SADD173	335.41	336.42	1.01	0.61	Colina SW	Yes
SADD174		*No significant results*			Colina SW	*Yes*
SADD175	132.51	143.70	11.19	1.15	Colina SW	No
Including:	132.51	137.00	4.49	1.30	Colina SW	No
And:	139.00	141.85	2.85	1.36	Colina SW	No
SADD175	157.27	158.44	1.17	0.99	Colina SW	No
SADD175	210.00	211.00	1.00	1.66	Colina SW	No
SADD175	267.89	269.84	1.95	0.54	Colina SW	No
SADD175	354.34	358.21	3.87	1.55	Colina SW	No
SADD176	150.66	161.00	10.34	1.23	Colina SW	Yes
Including:	150.66	157.00	6.34	1.63	Colina SW	Yes
And:	150.66	155.00	4.34	2.00	Colina SW	Yes
SADD176	242.00	244.84	2.84	1.34	Colina SW	Yes
Including:	242.00	244.00	2.00	1.70	Colina SW	Yes
SADD176	303.30	305.00	1.70	1.16	Colina SW	Yes
SADD176	381.39	383.00	1.61	1.00	Colina SW	Yes
SADD176	441.54	442.38	0.84	0.42	Colina SW	Yes
SADD177	90.60	93.60	3.00	1.06	Colina SW	Yes
SADD177	210.13	211.41	1.28	0.89	Colina SW	Yes
SADD177	311.98	313.17	1.19	0.67	Colina SW	Yes
SADD177	320.68	322.45	1.77	0.91	Colina SW	Yes
SADD178	25.24	28.92	3.68	1.00	Colina Infill	No
SADD178	30.72	33.37	2.65	1.67	Colina Infill	No
SADD178	152.93	156.00	3.07	1.35	Colina Infill	No
SADD178	195.71	196.75	1.04	1.50	Colina Infill	No
SADD178	225.80	227.76	1.96	1.20	Colina Infill	No
SADD178	234.36	234.90	0.54	0.58	Colina Infill	No
SADD178	237.84	251.39	13.55	1.37	Colina Infill	No
SADD178	260.91	267.86	6.95	1.67	Colina Infill	No
Including:	260.91	264.00	3.09	2.05	Colina Infill	No
SADD178	288.43	289.39	0.96	0.91	Colina Infill	No
SADD178	292.61	299.36	6.75	1.05	Colina Infill	No
Including:	292.61	295.61	3.00	1.12	Colina Infill	No
And:	296.61	299.36	2.75	1.21	Colina Infill	No
SADD178	309.90	319.94	10.04	1.41	Colina Infill	No
Including:	312.00	316.00	4.00	2.12	Colina Infill	No
SADD178	350.34	358.81	8.47	1.45	Colina Infill	No
Including:	351.20	356.00	4.80	1.85	Colina Infill	No
SADD178	360.35	372.14	11.79	1.09	Colina Infill	No
Including:	360.35	364.00	3.65	1.35	Colina Infill	No
And:	366.49	369.00	2.51	1.77	Colina Infill	No
SADD178	422.69	427.00	4.31	1.16	Colina Infill	No
Including:	425.00	426.00	1.00	3.16	Colina Infill	No
SADD178	435.66	439.00	3.34	2.06	Colina Infill	No
SADD178	439.76	444.19	4.43	1.41	Colina Infill	No
SADD178	447.00	449.36	2.36	1.17	Colina Infill	No
SADD178	480.00	481.12	1.12	0.49	Colina Infill	No
SADD178	485.00	486.00	1.00	0.86	Colina Infill	No
SADD179	122.00	132.15	10.15	1.17	Colina SW	Yes
Including:	122.00	128.00	6.00	1.21	Colina SW	Yes

And:	129.00	132.15	3.15	1.38	Colina SW	Yes
SADD179	203.30	207.40	4.10	1.30	Colina SW	Yes
SADD179	318.16	322.20	4.04	0.93	Colina SW	Yes
SADD180	136.30	137.42	1.12	0.73	Colina SW	Yes
SADD180	142.00	143.00	1.00	0.62	Colina SW	Yes
SADD180	172.62	180.00	7.38	1.19	Colina SW	Yes
Including:	173.70	178.00	4.30	1.50	Colina SW	Yes
SADD180	285.00	287.00	2.00	0.90	Colina SW	Yes
SADD181	172.83	187.70	14.87	1.72	Colina Infill	Yes
Including:	174.80	180.80	6.00	2.01	Colina Infill	Yes
And:	182.80	186.80	4.00	2.01	Colina Infill	Yes
SADD181	284.21	293.86	9.65	1.76	Colina Infill	Yes
Including:	286.00	293.00	7.00	2.04	Colina Infill	Yes
SADD181	284.21	293.86	9.65	1.76	Colina Infill	Yes
Including:	286.00	293.00	7.00	2.04	Colina Infill	Yes
SADD182	*No significant results*				Colina SW	Yes
SADD183	47.00	48.00	1.00	0.69	Colina SW	Yes
SADD183	203.87	206.10	2.23	0.71	Colina SW	Yes
SADD184	111.30	117.00	5.70	1.11	Colina Infill (deep)	Yes
SADD184	119.20	120.39	1.19	0.42	Colina Infill (deep)	Yes
SADD184	139.00	156.00	17.00	1.55	Colina Infill (deep)	Yes
Including:	140.00	145.00	5.00	1.89	Colina Infill (deep)	Yes
And:	152.00	156.00	4.00	1.85	Colina Infill (deep)	Yes
SADD184	437.03	447.00	9.97	1.12	Colina Infill (deep)	Yes
Including:	438.00	441.00	3.00	1.66	Colina Infill (deep)	Yes
SADD185	83.23	85.95	2.72	1.57	Colina Infill (deep)	Yes
SADD185	240.98	242.99	2.01	2.05	Colina Infill (deep)	Yes
SADD185	255.55	258.41	2.86	1.41	Colina Infill (deep)	Yes
SADD185	299.51	305.32	5.81	1.73	Colina Infill (deep)	Yes
Including:	300.40	304.40	4.00	2.12	Colina Infill (deep)	Yes
SADD185	323.00	325.77	2.77	1.61	Colina Infill (deep)	Yes
SADD185	330.95	336.00	5.05	1.31	Colina Infill (deep)	Yes
Including:	332.00	335.33	3.33	1.43	Colina Infill (deep)	Yes
SADD185	342.13	349.02	6.89	1.56	Colina Infill (deep)	Yes
Including:	342.13	346.00	3.87	2.09	Colina Infill (deep)	Yes
SADD185	352.64	357.99	5.35	1.33	Colina Infill (deep)	Yes
Including:	355.64	357.40	1.76	2.48	Colina Infill (deep)	Yes
SADD185	365.17	365.97	0.80	2.63	Colina Infill (deep)	Yes
Including:	384.00	385.00	1.00	0.90	Colina Infill (deep)	Yes
SADD185	402.64	407.40	4.76	1.97	Colina Infill (deep)	Yes
Including:	403.60	407.40	3.80	2.23	Colina Infill (deep)	Yes
SADD186	149.40	150.50	1.10	0.65	Colina SW	Yes
SADD186	225.00	226.00	1.00	0.45	Colina SW	Yes
SADD187	158.97	170.00	11.03	1.66	Colina Infill	Yes
Including:	160.00	163.00	3.00	1.59	Colina Infill	Yes
And:	164.00	168.00	4.00	1.97	Colina Infill	Yes
SADD188	360.00	367.00	7.00	1.39	Colina Infill	Yes
Including:	362.00	366.00	4.00	2.06	Colina Infill	Yes
SADD189	113.54	114.72	1.18	0.92	Colina Infill	Yes
SADD189	118.84	125.54	6.70	1.41	Colina Infill	Yes
Including:	118.84	122.00	3.16	1.85	Colina Infill	Yes
SADD189	148.59	162.06	13.47	1.12	Colina Infill	Yes
Including:	148.59	156.00	7.41	1.36	Colina Infill	Yes
And:	151.90	156.00	4.10	1.60	Colina Infill	Yes
SADD189	274.00	277.00	3.00	1.29	Colina Infill	Yes
SADD190	127.00	128.71	1.71	0.88	Colina SW	Yes
SADD190	131.08	132.06	0.98	0.76	Colina SW	Yes
SADD191	*No significant results*				Colina SW	Yes
SADD192	191.00	194.00	3.00	1.55	Colina SW	Yes
SADD193	252.54	253.49	0.95	1.31	Colina SW	Yes

SADD194	53.46	54.55	1.09	0.87	Colina Infill	Yes
SADD194	82.00	90.92	8.92	2.05	Colina Infill	Yes
SADD194	98.93	113.12	14.19	1.71	Colina Infill	Yes
Including:	102.00	106.00	4.00	2.03	Colina Infill	Yes
And:	108.00	112.00	4.00	1.89	Colina Infill	Yes
SADD194	213.00	215.00	2.00	2.23	Colina Infill	Yes
SADD194	321.10	322.92	1.82	1.87	Colina Infill	Yes
SADD194	325.04	327.00	1.96	2.43	Colina Infill	Yes
SADD194	339.28	349.22	9.94	1.37	Colina Infill	Yes
Including:	340.25	344.00	3.75	2.21	Colina Infill	Yes
SADD194	349.46	349.95	0.49	0.49	Colina Infill	Yes
SADD194	384.25	384.91	0.66	2.01	Colina Infill	Yes
SADD194	388.03	390.25	2.22	1.33	Colina Infill	Yes
SADD194	391.61	401.05	9.44	1.41	Colina Infill	Yes
Including:	395.60	398.40	2.80	1.95	Colina Infill	Yes
SADD194	412.76	419.70	6.94	1.50	Colina Infill	Yes
Including:	414.70	418.70	4.00	1.72	Colina Infill	Yes
SADD194	428.81	430.75	1.94	1.23	Colina Infill	Yes
SADD194	443.00	446.00	3.00	1.36	Colina Infill	Yes
SADD194	474.77	475.91	1.14	0.63	Colina Infill	Yes
SADD194	489.91	495.76	5.85	1.36	Colina Infill	Yes
Including:	491.00	495.00	4.00	1.57	Colina Infill	Yes
SADD194	505.15	507.49	2.34	1.30	Colina Infill	Yes
SADD195	70.70	83.19	12.49	1.67	Colina Infill (deep)	Yes
Including:	70.70	75.00	4.30	2.30	Colina Infill (deep)	Yes
And:	78.00	82.00	4.00	1.89	Colina Infill (deep)	Yes
SADD195	98.44	112.00	13.56	2.03	Colina Infill (deep)	Yes
SADD195	201.21	202.52	1.31	0.70	Colina Infill (deep)	Yes
SADD195	307.80	333.35	25.55	1.57	Colina Infill (deep)	Yes
Including:	313.00	317.00	4.00	1.79	Colina Infill (deep)	Yes
And:	326.00	332.68	6.68	1.82	Colina Infill (deep)	Yes
SADD195	337.75	338.73	0.98	1.04	Colina Infill (deep)	Yes
SADD195	349.87	351.31	1.44	1.23	Colina Infill (deep)	Yes
SADD195	375.63	382.53	6.90	1.14	Colina Infill (deep)	Yes
Including:	375.63	379.63	4.00	1.53	Colina Infill (deep)	Yes
SADD195	390.62	413.50	22.88	1.26	Colina Infill (deep)	Yes
Including:	393.50	396.50	3.00	2.43	Colina Infill (deep)	Yes
And:	403.50	409.50	6.00	1.67	Colina Infill (deep)	Yes
SADD195	464.00	465.00	1.00	1.16	Colina Infill (deep)	Yes
SADD195	500.75	508.70	7.95	1.11	Colina Infill (deep)	Yes
SADD196	*No significant results*				Colina Infill	Yes
SADD197	*No significant results*				Colina Infill	Yes
SADD198	93.00	93.93	0.93	0.51	Colina SW	Yes
SADD199	85.06	91.12	6.06	0.71	Colina Infill	Yes
SADD199	114.48	122.40	7.92	1.11	Colina Infill	Yes
Including:	115.45	117.40	1.95	2.07	Colina Infill	Yes
SADD199	231.00	235.00	4.00	1.73	Colina Infill	Yes
SADD200	155.03	169.00	13.97	1.34	Colina Infill (deep)	Yes
Including:	156.00	158.00	2.00	2.05	Colina Infill (deep)	Yes
And:	159.00	163.00	4.00	1.94	Colina Infill (deep)	Yes
SADD200	219.00	220.00	1.00	1.22	Colina Infill (deep)	Yes
SADD200	235.54	252.52	16.98	1.85	Colina Infill (deep)	Yes
Including:	236.50	242.54	6.04	2.78	Colina Infill (deep)	Yes
SADD201	297.22	309.00	11.78	1.58	Colina Infill	Yes
Including:	302.00	309.00	7.00	1.83	Colina Infill	Yes
SADD201	329.12	345.00	15.88	1.27	Colina Infill	Yes
Including:	331.00	335.00	4.00	1.74	Colina Infill	Yes
And:	336.00	341.00	5.00	1.95	Colina Infill	Yes
SADD202	134.70	139.60	4.90	1.00	Colina Infill	Yes
SADD202	260.75	287.60	26.85	1.39	Colina Infill	Yes

Including:	262.75	268.75	6.00	2.00	Colina Infill	Yes
SADD203	*No significant results*				Colina Infill	Yes
SADD204	56.90	58.18	1.28	1.00	Colina Infill	Yes
SADD204	65.95	68.01	2.06	0.78	Colina Infill	Yes
SADD204	80.58	83.90	3.32	1.48	Colina Infill	Yes
Including:	80.58	83.00	2.42	1.77	Colina Infill	Yes
SADD204	103.70	108.30	4.60	1.12	Colina Infill	Yes
Including:	103.70	105.70	2.00	1.61	Colina Infill	Yes
SADD205 – SADD239	*Drilling in progress/ assays pending*					-
SAMT001	306.00	311.00	5.00	1.41	Metallurgical	Yes
SAMT001	333.00	352.20	18.20	1.36	Metallurgical	Yes
Including:	333.00	345.00	11.00	2.13	Metallurgical	Yes
And:	339.94	345.00	4.06	1.80	Metallurgical	Yes
SAMT002	167.07	180.00	11.93	1.78	Metallurgical	Yes
Including:	170.00	177.00	6.00	2.06	Metallurgical	Yes
SAMT002	224.00	236.20	12.20	1.43	Metallurgical	Yes
Including:	225.00	229.00	4.00	1.64	Metallurgical	Yes
SAMT002	247.31	263.32	16.01	1.59	Metallurgical	Yes
Including:	248.39	254.41	6.02	2.36	Metallurgical	Yes
SAMT003	103.03	106.54	3.51	2.06	Metallurgical	Yes
SAMT003	111.35	113.32	1.97	1.16	Metallurgical	Yes
SAMT003	117.60	133.76	15.20	1.43	Metallurgical	Yes
Including:	117.60	122.60	5.00	1.72	Metallurgical	Yes
And:	125.56	128.60	3.04	2.27	Metallurgical	Yes
SAMT003	137.10	138.11	1.01	2.30	Metallurgical	Yes
SAMT004	277.60	283.60	6.00	1.07	Metallurgical	Yes
Including:	278.60	281.60	3.00	1.32	Metallurgical	Yes
SAMT004	300.00	308.00	8.00	2.86	Metallurgical	Yes
SAMT005	141.70	145.94	4.24	1.24	Metallurgical	Yes
Including:	141.70	145.08	3.38	1.41	Metallurgical	Yes
SAMT005	165.85	168.31	2.46	1.48	Metallurgical	Yes
SAMT005	186.70	187.54	0.84	0.62	Metallurgical	Yes
SAMT005	207.07	217.89	10.82	1.46	Metallurgical	Yes
Including:	208.00	215.00	7.00	1.79	Metallurgical	Yes
SAMT005	236.64	246.00	9.36	1.68	Metallurgical	Yes
Including:	236.64	240.00	3.36	2.66	Metallurgical	Yes
SAMT006	148.08	161.00	12.92	1.65	Metallurgical	Yes
Including:	149.00	155.00	6.00	2.24	Metallurgical	Yes
SAMT006	205.93	226.03	20.10	1.61	Metallurgical	Yes
Including:	214.00	225.00	11.00	1.92	Metallurgical	Yes
SAMT007	197.00	208.14	11.14	1.39	Metallurgical	Yes
Including:	203.00	206.00	3.00	2.05	Metallurgical	Yes

Note:

1. A nominal minimum Li_2O grade of 0.5% Li_2O has been used to define a 'significant intersection' over a nominal minimum intersection of 1.0m with a maximum internal dilution of 2.0 m.

APPENDIX D: FOG'S BLOCK SIGNIFICANT INTERSECTIONS

Hole ID	From (m)	To (m)	Interval (m)	Li_2O (%)	Target	New Results
MCDD001	44.24	46.24	2.00	0.85	Fog's Block	***No***
MCDD001	75.50	76.40	0.90	0.44	Fog's Block	No
MCDD001	81.92	83.50	1.58	0.73	Fog's Block	No
MCDD001	103.58	107.84	4.26	1.14	Fog's Block	No
MCDD001	108.81	109.80	0.99	0.59	Fog's Block	No
MCDD001	173.31	177.69	4.38	1.00	Fog's Block	No
MCDD002	197.76	204.76	7.00	1.08	Fog's Block	No
Including:	198.90	202.00	3.10	1.28	Fog's Block	No
MCDD002	208.40	209.40	1.00	1.50	Fog's Block	No
MCDD002	210.94	224.00	13.06	1.34	Fog's Block	No
Including:	210.94	217.00	6.06	1.61	Fog's Block	No
MCDD002	243.01	244.22	1.21	0.71	Fog's Block	No
MCDD002	245.73	248.11	2.38	0.90	Fog's Block	No
MCDD002	249.67	252.32	2.65	0.75	Fog's Block	No
MCDD002	255.01	256.06	1.05	0.41	Fog's Block	No
MCDD002	266.69	267.71	1.02	0.68	Fog's Block	No
MCDD003	No significant results				Fog's Block	No
MCDD004	146.50	148.32	1.82	1.34	Fog's Block	No
MCDD004	151.60	152.38	0.78	0.46	Fog's Block	No
MCDD004	153.92	154.27	0.35	0.47	Fog's Block	No
MCDD004	155.09	163.60	8.51	1.33	Fog's Block	No
Including:	159.00	162.79	3.79	1.76	Fog's Block	No
MCDD004	230.43	238.40	7.97	1.08	Fog's Block	No
Including:	231.23	232.65	1.42	0.84	Fog's Block	No
And:	232.65	233.00	0.35	0.91	Fog's Block	No
And:	233.42	238.40	4.98	1.26	Fog's Block	No
MCDD004	240.83	241.51	0.68	0.73	Fog's Block	No
MCDD004	277.73	279.91	2.18	0.55	Fog's Block	No
MCDD005	111.32	116.00	4.68	0.74	Fog's Block	No
MCDD005	120.67	122.27	1.60	0.83	Fog's Block	No
MCDD005	124.78	128.00	3.22	0.56	Fog's Block	No
MCDD005	173.19	175.00	1.81	0.73	Fog's Block	No
MCDD005	181.00	185.00	4.00	1.65	Fog's Block	No
MCDD005	212.86	214.00	1.14	0.42	Fog's Block	No
MCDD005	224.78	230.29	5.51	0.95	Fog's Block	No
Including:	227.00	229.54	2.54	1.27	Fog's Block	No
MCDD006	91.00	94.58	3.58	0.98	Fog's Block	No
MCDD006	94.85	96.42	1.57	0.68	Fog's Block	No
MCDD006	100.50	102.50	2.00	0.78	Fog's Block	No
MCDD006	124.20	125.89	1.69	0.96	Fog's Block	No
MCDD006	131.97	134.99	3.02	1.27	Fog's Block	No
MCDD006	136.28	137.00	0.72	0.70	Fog's Block	No
MCDD006	139.88	140.52	0.64	0.73	Fog's Block	No
MCDD006	141.23	142.18	0.95	0.60	Fog's Block	No
MCDD007	222.00	223.00	1.00	0.71	Fog's Block	Yes
MCDD007	278.06	285.00	6.94	1.13	Fog's Block	Yes
Including:	279.00	282.00	3.00	1.67	Fog's Block	Yes
MCDD007	297.55	298.86	1.31	0.68	Fog's Block	Yes
MCDD007	309.11	310.30	1.19	1.10	Fog's Block	Yes
MCDD007	312.14	315.15	3.01	1.19	Fog's Block	Yes
MCDD007	316.87	317.43	0.56	0.43	Fog's Block	Yes
MCDD007	319.00	319.74	0.74	0.47	Fog's Block	Yes
MCDD007	321.60	326.60	5.00	0.79	Fog's Block	Yes
Including:	321.60	324.60	3.00	1.04	Fog's Block	Yes
MCDD007	434.70	437.88	3.18	0.97	Fog's Block	Yes
Including:	434.70	437.24	2.54	1.03	Fog's Block	Yes

MCDD008	211.74	227.07	15.33	1.03	Fog's Block	Yes
Including:	212.63	216.00	3.37	1.55	Fog's Block	Yes
MCDD008	234.14	236.44	2.30	1.28	Fog's Block	Yes
MCDD008	240.27	245.27	5.00	0.95	Fog's Block	Yes
MCDD008	246.19	246.75	0.56	0.62	Fog's Block	Yes
MCDD008	286.00	287.00	1.00	1.29	Fog's Block	Yes
MCDD008	316.14	318.24	2.10	1.29	Fog's Block	Yes
MCDD008	352.70	353.70	1.00	0.76	Fog's Block	Yes
MCDD009	144.34	145.00	0.66	0.49	Fog's Block	Yes
MCDD009	146.44	147.45	1.01	1.30	Fog's Block	Yes
MCDD009	149.63	150.23	0.60	0.52	Fog's Block	Yes
MCDD009	150.86	151.11	0.25	1.11	Fog's Block	Yes
MCDD009	173.40	186.00	12.60	1.15	Fog's Block	Yes
Including:	174.32	180.00	5.68	1.81	Fog's Block	Yes
MCDD009	228.80	231.47	2.67	1.28	Fog's Block	Yes
MCDD009	250.58	268.10	17.52	1.48	Fog's Block	Yes
Including:	252.52	262.00	9.48	1.67	Fog's Block	Yes
MCDD010 – MCDD014	Drilling in progress/ assays pending				Fog's Block East	-

Note:

1. A nominal minimum Li_2O grade of 0.5% Li_2O has been used to define a 'significant intersection' over a nominal minimum intersection of 1.0m with a maximum internal dilution of 2.0 m.

APPENDIX E: JORC CODE, 2012 EDITION – TABLE 1 REPORT

Section 1 Sampling Techniques and Data

(Criteria In This Section Apply to All Succeeding Sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	• *Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.* • *Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.* • *Aspects of the determination of mineralisation that are Material to the Public Report.* • *In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.*	• *The July 2021 stream sediment sampling program was completed by Latin Resources.* • *Latin Resources stream sediment sampling:* ○ *Stream sediment samples were taken in the field by Latin's geologists during field campaign using pre-set locations and procedures.* ○ *All surface organic matter and soil were removed from the sampling point, then the active stream sediment was collected from five holes spaced 2.5 m using a post digger.* ○ *Five subsamples were collected along 25 cm depth, homogenised in a plastic tarp and split into four parts.* ○ *The chosen part (1/4) was screened using a 2 mm stainless steel sieve.* ○ *A composite sample weighting 350-400g of the <2 mm fraction was poured in a labelled zip lock bag for assaying.* ○ *Oversize material retained in the sieve was analyzed with hand lens and discarded.* ○ *The other three quartiles were discarded, sample holes were filled back, and sieve and canvas were thoroughly cleaned.* ○ *Photographs of the sampling location were taken for all the samples.* ○ *Sample book were filled in with sample information and coordinates.* ○ *Stream sediment sample locations were collected in the field using a hand-held GPS with +/-5m accuracy using Datum SIRGAS 2000, Zone 23 South) coordinate system.* ○ *No duplicate samples were taken at this stage.* ○ *No certified reference standards samples were submitted at this stage.* • *Latin Resources Diamond Drilling:* ○ *Diamond core has been sampled in intervals of ~ 1 m (up to 1.18 m) where possible, otherwise intervals less than 1 m have been selected based on geological boundaries. Geological boundaries have not been crossed by sample intervals.* ○ *½ core samples have been collected and submitted for analysis, with regular field duplicate samples collected and submitted for QA/QC analysis.* • *Metallurgical Drilling* ○ *Latin conducted a metallurgical program on material sourced from diamond drilling in 2022 and 2023.* ○ *Drillhole diameter was HQ for metallurgical drill holes.* ○ *Spodumene concentrate testwork was completed on two composite samples of Colina ore.* ○ *The samples comprising the composites were taken from ½ HQ core from selected mineralized and unmineralized zones as part of the 65,000m drilling program.*

Criteria	JORC Code explanation	Commentary
Drilling techniques	• *Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).*	• *Latin Resources drilling is completed using industry standard practices. Diamond drilling is completed using HQ size coring equipment.* • *Drilling techniques used at Salinas Project comprise:* ○ *NTW Diamond Core (64.2mm diameter), standard tube to a depth of ~200- 250 m.* ○ *BTW diamond core utilized for hole SADD031 from a depth of 309.10 m.* ○ *Diamond core holes drilled directly from surface.* ○ *Initial drill rig alignment is carried out using Reflex TN14 alignment tool.* ○ *Down hole survey was carried out by Reflex EZ-TRAC tool (SADD001 to SADD020).* ○ *Down hole survey was carried out by Reflex EZ-TRAC tool (SADD001 to SADD020) and Reflex GYRO SPRINT-IQ (SADD021 to date).* ○ *Core orientation was provided by an ACT Reflex (ACT III) tool.* • *All drill collars are surveyed using RTK DGPS.*
Drill sample recovery	• *Method of recording and assessing core and chip sample recoveries and results assessed.* • *Measures taken to maximise sample recovery and ensure representative nature of the samples.* • *Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.*	• *Latin Resources core is depth marked and orientated to check against the driller's blocks, ensuring that all core loss is taken into account. Diamond core recovery is logged and captured into the database.* • *Zones of significant core loss may have resulted in grade dilution due to the loss of fine material.*
Logging	• *Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.* • *Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.* • *The total length and percentage of the relevant intersections logged.*	• *All drill cores have been geologically logged.* • *Sampling is by sawing core in half and then sampling core on nominal 1m intervals.* • *All core sample intervals have been photographed before and after sawing.* • *Latin's geological logging is completed for all holes, and it is representative. The lithology, alteration, and structural characteristics of drill samples are logged following standard procedures and using standardised geological codes.* • *Logging is both qualitative and quantitative depending on field being logged.* • *All drill-holes are logged in full.* • *Geological structures are collected using Reflex IQ Logger.* • *All cores are digitally photographed and stored.*
Sub-sampling techniques and sample preparation	• *If core, whether cut or sawn and whether quarter, half or all core taken.* • *If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.* • *For all sample types, the nature, quality and appropriateness of the sample preparation technique.* • *Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.* • *Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.* • *Whether sample sizes are appropriate to the grain size of the material being sampled.*	• *For the 2021 stream sediment sampling program:* ○ *All samples collected from field were dry due to dry season.* ○ *To maximise representativeness, samples were taken from five holes weighting around 3 Kg each for a total of 15 Kg to be reduced to 350-400 g.* ○ *Samples were dried, crushed and pulverized 250g to 95% at 150#. Any samples requiring splitting were split using a Jones splitter.* • *For the 2023 diamond drilling program:* ○ *Samples were crushed in a hammer mill to 75% passing -3mm followed by splitting off 250g using a Jones splitter and pulverizing to better than 95% passing 75 microns.* ○ *Duplicate sampling is carried out routinely throughout the drilling campaign. The laboratory will*

Criteria	JORC Code explanation	Commentary
		carry out routine internal repeat assays on crushed samples. ○ *The selected sample mass is considered appropriate for the grain size of the material being sampled.*
Quality of assay data and laboratory tests	• *The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.* • *For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.* • *Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.*	• *For the 2021 stream sediment sampling program:* ○ *The stream sediment samples were assayed via ICM90A (fusion by sodium peroxide and finish with ICP-MS/ICP-OES) for a 56-element suite at the SGS Geosol Laboratorios located at Vespasiano/Minas Gerais, Brazil.* ○ *No control samples have been used at this stage. The internal laboratory controls (blanks, duplicates and standards) are considered suitable.* • *For the 2023 diamond drilling program:* ○ *Core samples are assayed via ICM90A (fusion by sodium peroxide and finish with ICP-MS/ICP-OES) for a 56-element suite at the SGS Geosol Laboratorios located at Vespasiano/Minas Gerais, Brazil.* ○ *If lithium results are above 15,000ppm, the Lab analyze the pulp samples just for lithium through ICP90Q (fusion by sodium peroxide and finish with ICP/OES).* • *For metallurgical testwork:* ○ *All test work analysis has been undertaken by SGS Canada Natural Resources Lakefield, which conforms to the requirements of ISO/IEC 17025 and is accredited by the Standards Council of Canada. Representative subsamples were submitted for Li assay and whole rock analysis (XRF/ICP), for suite which includes SiO2, Al2O3, Fe2O3, MgO, CaO, Na2O, K2O, TiO2, P2O5, MnO, Cr2O3, V2O5, and loss on ignition (LOI), as well as semi-quantitative XRD analysis.*
Verification of sampling and assaying	• *The verification of significant intersections by either independent or alternative company personnel.* • *The use of twinned holes.* • *Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.* • *Discuss any adjustment to assay data.*	• *Selected sample results which are considered to be significant will be subjected to resampling by the Company. This can be achieved by either reassaying of sample pulps, resplitting of coarse reject samples, or resplitting of core and reassaying.* • *All Latin Resources data is verified by the Competent person. All data is stored in an electronic Access Database.* ○ *Assay data and results is reported, unadjusted.* ○ *Li_2O results used in the market are converted from Li results multiplying it by the industry factor 2.153.*
Location of data points	• *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.* • *Specification of the grid system used.* • *Quality and adequacy of topographic control.*	• *Stream sediment sample locations and drill collars are captured using a handheld GPS.* • *Drill collars are located using a handheld GPS.* • *All GPS data points were later visualized using ESRI ArcGIS Software to ensure they were recorded in the correct position.* • *The grid system used was UTM SIRGAS 2000 zone 23 South.*
Data spacing and distribution	• *Data spacing for reporting of Exploration Results.* • *Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.* • *Whether sample compositing has been applied.*	• *Stream sediment samples were taken every 200m between sampling points along the drainages which is considered appropriate for a first stage, regional work.* • *Every sampling spot had a composite sample made of five subsamples spaced 2.5 m each along a channel for a 10 m length zone or a cross pattern with the same spacing of 2.5 m for the open valleys and braided channels.*

Criteria	JORC Code explanation	Commentary
		• *Due to the preliminary nature of the initial drilling campaign, drill holes are designed to test specific targets, with not set drill spacing.*
Orientation of data in relation to geological structure	• *Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.* • *If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.*	• *Sampling is preferentially across the strike or trend of mineralised outcrops.* • *Drilling has been designed to intersect the mapped stratigraphy as close to normal as possible.*
Sample security	• *The measures taken to ensure sample security.*	• *At all times samples were in the custody and control of the Company's representatives until delivery to the laboratory where samples were held in a secure enclosure pending processing.*
Audits or reviews	• *The results of any audits or reviews of sampling techniques and data.*	• *The Competent Person for Exploration Results reported here has reviewed the field procedures used for sampling program at field and has compiled results from the original sampling and laboratory data.* • *No External audit has been undertaken at this stage.*

SECTION 2 REPORTING OF EXPLORATION RESULTS
(CRITERIA LISTED IN THE PRECEDING SECTION ALSO APPLY TO THIS SECTION.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	• *Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.* • *The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.*	• *Exploration Licences: 830.578/2019, 830.579/2019, 830.580/2019, 30.581/2019, 830.582/2019, 830.691/2017, 832.515/2021 and the western portion of 831.799/2005 are 100% fully owned by Latin Resources Limited.* • *Latin has lodged new applications for the following areas: 832.601/2022, 832.602/2022, 832.604/2022, 832.605/2022, 832.606/2022, 832.607/2022, 832.608/2022, 832.609/2022, 832.611/2022, 832.612/2022, 832.613/2022, 832.614/2022, 832.616/2022, 832.801/2022, 832.802/2022 & 832.804/2022.* • *Latin has entered in separate exclusive option agreement to acquire 100% interest in the areas: 830.080/2022, 830.581/2019, 831.118/2008, 831.219/2017, 831.798/2015, 831.799/2005 (Second Part & Third Part), 833.881/2010 & 834.282/2007.* • *The Company is not aware of any impediments to obtaining a licence to operate, subject to carrying out appropriate environmental and clearance surveys.*
Exploration done by other parties	• *Acknowledgment and appraisal of exploration by other parties.*	• *Historic exploration was carried out on the area 830.080/2022 (Monte Alto) with extraction of gems (tourmaline and lepidolite), amblygonite, columbite and feldspar.*
Geology	• *Deposit type, geological setting and style of mineralisation.*	• *Salinas Lithium Project geology comprises Neoproterozoic age sedimentary rocks of Araçuaí Orogen intruded by fertile Li-bearing pegmatites originated by fractionation of magmatic fluids from the peraluminous S-type post-tectonic granitoids of Araçuaí Orogen. Lithium mineralisation is related to discordant swarms of spodumene-bearing tabular pegmatites hosted by biotite-quartz schists.*

Drill hole Information	• *A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:*
	  ○ *easting and northing of the drill hole collar*
	  ○ *elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar*
	  ○ *dip and azimuth of the hole*
	  ○ *down hole length and interception depth*
	  ○ *hole length*
	• *If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.*
		• *All drill hole summary location data is provided in Appendix 1 to this report and is accurately represented in appropriate location maps and drill sections where required.*

Data aggregation methods	• *In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high-grades) and cut-off grades are usually Material and should be stated.* • *Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of*	• *Sample length weighted averaging techniques have been applied to the sample assay results.* • *Where duplicate core samples have been collected in the field, results for duplicate pairs have been averaged.* • *A nominal minimum Li_2O grade of 0.4% Li_2O has been used to define a 'significant intersection'.* • *No grade top cuts have been applied.*

Criteria	JORC Code explanation	Commentary
	low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • *The assumptions used for any reporting of metal equivalent values should be clearly stated.*	
Relationship between mineralisation widths and intercept lengths	• *These relationships are particularly important in the reporting of Exploration Results.* • *If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.* • *If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').*	• *Drilling is carried out at right angles to targeted structures and mineralised zones where possible.* • *Drill core orientation is of a high quality, with clear contact of pegmatite bodies, enabling the calculation of true width intersections.*
Diagrams	• *Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.*	• *The Company has released various maps and figures showing the sample results in the geological context.*
Balanced reporting	• *Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high-grades and/or widths should be practiced avoiding misleading reporting of Exploration Results.*	• *All analytical results for lithium have been reported.*
Other substantive exploration data	• *Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.*	• *All information that is considered material has been reported, including stream sediment sampling results, Drilling results geological context, etc.* • *Sighter metallurgical test work was undertaken on approximately 44kg of drill core sourced from drill hole SADD023 (26.99m: 94.00-120.88m) and submitted to independent laboratories SGS GEOSOL Laboratories in Belo Horizonte Brazil.* • *Test work included crushing, size fraction analysis and HLS separation to ascertain the amenability of the Colina Project spodumene pegmatite material to DMS treatment routes.*
Further work	• *The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).* • *Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*	• *Latin plans to undertake additional reconnaissance mapping, infill stream sediment and soil sampling at Salinas South Prospect.* • *Follow-up infill and step-out drilling will be undertaken based on results.* • *Additional metallurgical processing test work on drill core form the Colina Prospect.*